```
<%@LANGUAGE="VBSCRIPT"%>
   <!--#include file="../../Connections/dbEPakRecords.asp" -->
   <!--#include file="../../Connections/dbEPakLibs.asp" -->
3
   set rsSpecSaleInfo = Server.CreateObject("ADODB.Recordset")
   rsSpecSaleInfo.ActiveConnection = MM dbEPakRecords STRING
   rsSpecSaleInfo.Source = "SELECT * FROM specSale"
7
   rsSpecSaleInfo.CursorType = 0
   rsSpecSaleInfo.CursorLocation = 2
10
   rsSpecSaleInfo.LockType = 3
   rsSpecSaleInfo.Open()
   rsSpecSaleInfo numRows = 0
13
14
   <8
   set rsTitleText = Server.CreateObject("ADODB.Recordset")
15
   rsTitleText.ActiveConnection = MM dbEPakLibs STRING
   rsTitleText.Source = "SELECT * FROM titleText"
17
   rsTitleText.CursorType = 0
18
   rsTitleText.CursorLocation = 2
19
20
   rsTitleText.LockType = 3
21
   rsTitleText.Open()
22
   rsTitleText_numRows = 0
23
   %>
24
   <₹
25
   Dim Repeat1
               numRows
26
   Repeat 1 - 1
27
   Dim Repeat1__index
28
   Repeat1
            index = 0
   rsSpecSaleInfo numRows = rsSpecSaleInfo numRows + Repeat1 numRows
29
30
31
   <!--#include file="../../global.asp" -->
32
33
   <html>
                                                                                  ga:
34
   <head>
3:5
   <title>Special Sales</title>
   <meta http-equiv="Content-Type" content="text/html; charset=iso-8859-1">
36
37
   </head>
38
   <body bgcolor="#<%=(EP bgcolor)%>"
       text="#<%=EP_text%>"
39
40
       link="#<%=EP link%>"
41
       vlink="#<%=EP_vlink%>"
42
       alink="#<%=EP alink%>"
       leftmargin="3"
43
       topmargin="0"
44
       marginwidth="0"
45
       marginheight="0"
46
       background="../../<%=(EP bgImg)%>">
47
   <!--#include file="../../banner.asp" -->
48
49
    <br>
50
    <center>
     " cellspacing=
    "0">
52
       < t.d >
53
           ">
54
55
56
               57
                   'check to see which Title Text file is selected
58
59
                   cycleDone = false
                   Dim titleTextFile
60
61
                   While (NOT rsTitleText.EOF)
62
63
                       If (rsTitleText.Fields.Item("EP isSelected").Value = "True") Then
64
                          titleTextFile = rsTitleText.Fields.Item("EP titleTextFile").Value
65
                      End If
66
                          rsTitleText.MoveNext
67
68
```

::\EPack Startup Fil s\templates\1\specSales.asp: 1/3

```
69
70
                  <object classid="clsid:D27CDB6E-AE6D-11cf-96B8-444553540000" codebase="http://do</pre>
   wnload.macromedia.com/pub/shockwave/cabs/flash/swflash.cab#version=4,0,2,0" width="480" height
   ="40">
                    <param name="movie" value="../../banners/titleText/<%=(titleTextFile)%>?txt=<P</pre>
71
    ALIGN='CENTER'><FONT COLOR='#<%=EP text%>'>Special Sales!</FONT></P>">
72
                  <param name=wmode value=transparent>
73
                    <param name=quality value=high>
74
                    <embed src="../../banners/titleText/<%=(titleTextFile)%>?txt=<P ALIGN='CENTER'</pre>
   ><FONT COLOR='#<%=EP_text%>'>Special Sales!</FONT></P>" quality=high pluginspage="http://www.m
    acromedia.com/shockwave/download/index.cgi?P1_Prod_Version=ShockwaveFlash" type="application/x
    -shockwave-flash" width="480" height="40">
75
                    </embed>
76
                  </object> 
              77
78
              79
                <hr color="#<%=EP bordercolor%>">
80
81
                82
              83
84
   While ((Repeat1__numRows <> 0) AND (NOT rsSpecSaleInfo.EOF))
85
              86
87
                88
                 <div align="center"><IMG SRC="../../images/catalog/<%=(rsSpecSaleInfo.Fields.Ite</pre>
    m("EPak SpecSaleIMG").Value)%>"></div>
89
                90
              91
92
              <୫
93
    specSaleStr = rsSpecSaleInfo.Fields.Item("EPak SpecSaleTXT").Value
94
95
    specSaleSplit = Split(specSaleStr, VBCrLf)
96
    specSaleJoin = Join(specSaleSplit, "<BR>")
97
98
    용>
99
                <font face="sans-serif" size="2"><%=(specSaleJoin)%><br>
00
                    </font>
01
              02
              03
                24
                  <hr color="#<%=EP bordercolor%>">
95
                06
              07
              <ક
      Repeat1__index=Repeat1__index+1
Repeat1__numRows=Repeat1__numRows-1
98
09
10
      rsSpecSaleInfo.MoveNext()
11
    Wend
12
13
              14
15
                  <div align="center"> </div>
16
                17
              18
            19
          20
21
      22
    </center>
23
    </body>
24
    </html>
25
   < %
26
   rsSpecSaleInfo.Close()
27
    %>
28
   < 8
29
   rsTitleText.Close()
30
    용>
```

\EPack Startup Files\templates\1\specSales.asp: 2/3

```
<%@LANGUAGE="VBSCRIPT"%>
   <!--#include file="../../Connections/dbEPakRecords.asp" -->
 3
   <!--#include file="../../Connections/dbEPakLibs.asp" -->
 4
   < శે
   set specEventInfo = Server.CreateObject("ADODB.Recordset")
   specEventInfo.ActiveConnection = MM dbEPakRecords STRING
   specEventInfo.Source = "SELECT * FROM specEvent"
7
   specEventInfo.CursorType = 0
9
   specEventInfo.CursorLocation = 2
10
   specEventInfo.LockType = 3
11
   specEventInfo.Open()
   specEventInfo_numRows = 0
13
14
   <ક
15
   set rsTitleText = Server.CreateObject("ADODB.Recordset")
   rsTitleText.ActiveConnection = MM dbEPakLibs STRING
17
   rsTitleText.Source = "SELECT * FROM titleText"
18
   rsTitleText.CursorType = 0
19
   rsTitleText.CursorLocation = 2
20
   rsTitleText.LockType = 3
21
   rsTitleText.Open()
22
   rsTitleText_numRows = 0
23
   유>
24
   <୫
25
   Dim Repeatl numRows
26
   Repeat 1 - 1
27
   Dim Repeatl index
28
   Repeat 1 - 0
29
   specEventInfo_numRows = specEventInfo numRows + Repeat1    numRows
30
31
32
   <!--#include file="../../global.asp" -->
33
   <html>
34
   <head>
   <title>Special Events</title>
35
36
   <meta http-equiv="Content-Type" content="text/html; charset=iso-8859-1">
37
   </head>
   <body bgcolor="#<%=(EP_bgcolor)%>"
38
39
       text="#<%=EP text%>"
40
       link="#<%=EP link%>"
41
       vlink="#<%=EP vlink%>"
       alink="#<%=EP_alink%>"
42
       leftmargin="3"
43
       topmargin="0"
14
       marginwidth="0"
45
4.6
       marginheight="0"
       background="../../<%=(EP_bgImg)%>">
47
   <!--#include file="../../banner.asp" -->
48
49
   " cellspacing="0"
50
   ">
51
     52
       ">
53
54
           55
             56
              < 8
57
                  'check to see which Title Text file is selected
58
                  cycleDone = false
59
                 Dim titleTextFile
50
51
                  While (NOT rsTitleText.EOF)
52
53
                      If (rsTitleText.Fields.Item("EP_isSelected").Value = "True") Then
54
                          titleTextFile = rsTitleText.Fields.Item("EP_titleTextFile").Value
55
                      End If
56
                          rsTitleText.MoveNext
57
                  Wend
58
```

```
69
                <object classid="clsid:D27CDB6E-AE6D-11cf-96B8-444553540000" codebase="http://down</pre>
   load.macromedia.com/pub/shockwave/cabs/flash/swflash.cab#version=4,0,2,0" width="480" height="
70
                 <param name="movie" value="../../banners/titleText/<%=(titleTextFile)%>?txt=<P A</pre>
   LIGN='CENTER'><FONT COLOR='#<%=EP_text%>'>Special Events!</FONT></P>">
71
                 <param name=wmode value=transparent>
72
                 <param name=quality value=high>
73
                 <embed src="../../banners/titleText/<%=(titleTextFile)%>?txt=<P ALIGN='CENTER'>
    FONT COLOR='#<%=EP text%>'>Special Events!</FONT></P>" quality=high pluginspage="http://www.ma
   cromedia.com/shockwave/download/index.cgi?Pl_Prod_Version=ShockwaveFlash" type="application/x-
    shockwave-flash" width="480" height="40">
74
                  </embed>
75
                </object> 
76
            77
            78
             79
                <hr color="#<%=EP bordercolor%>">
80
             81
            82
            < %
83
   While ((Repeatl__numRows <> 0) AND (NOT specEventInfo.EOF))
84
85
           86
             <div align="center"><IMG SRC="../../images/catalog/<%=(specEventInfo.Fields.Item("</pre>
87
   EPak SpecEventIMG"). Value) %>"></div>
88
             89
            90
           91
           < %
92
   specEventStr = specEventInfo.Fields.Item("EPak SpecEventTXT").Value
93
94
   specEventSplit = Split(specEventStr, VBCrLf)
95
   specEventJoin = Join(specEventSplit, "<BR>")
96
97
   용>
98
             <font face="sans-serif" size="2"><%=(specEventJoin)%><br>
99
                 </font>
           00
01
            02
              03
                <hr color="#<%=EP bordercolor%>">
04
              25
06
            <%
     Repeat1__index=Repeat1__index+1
Repeat1__numRows=Repeat1__numRows-1
07
98
09
      specEventInfo.MoveNext()
10
   Wend
11
   %>
12
            13
             14
                <div align="center"> </div>
15
16
           17
         18
        19
     20
   21
   </body>
22
   </html>
23
   <୫
24
   specEventInfo.Close()
25
   용>
26
   < ୫
27
   rsTitleText.Close()
28
   용>
29
```

```
<%@LANGUAGE="VBSCRIPT"%>
    <!--#include file="../../Connections/dbEPakRecords.asp" -->
    <!--#include file="../../Connections/dbEPakLibs.asp" -->
    < %
    If (Request.Form("checkout") <> "") Then
 7
        Response.Redirect("processInfo.asp")
 8
 9
    End If
10
11
    %>
12
    <8
13
   set rsProducts = Server.CreateObject("ADODB.Recordset")
14 rsProducts.ActiveConnection = MM dbEPakRecords STRING
15 rsProducts.Source = "SELECT ID, EP_Pname, EP_Pprice, EP_PshipPrice FROM EP_catalog"
16 rsProducts.CursorType = 0
17 rsProducts.CursorLocation = 2
18 rsProducts.LockType = 3
19 rsProducts.Open()
20 rsProducts_numRows = 0
21
   ક>
22
   < %
23 set rsAdminInfo = Server.CreateObject("ADODB.Recordset")
24 rsAdminInfo.ActiveConnection = MM_dbEPakRecords_STRING
25 rsAdminInfo.Source = "SELECT EP_clientBizName, EP_clientAddress1, EP_clientCity, EP_clientStat e, EP_clientZIP, EP_clientPhone1, EP_clientEmail1 FROM adminInfo"
26 rsAdminInfo.CursorType = 0
27 rsAdminInfo.CursorLocation = 2
28 rsAdminInfo.LockType = 3
29 rsAdminInfo.Open()
30 rsAdminInfo_numRows = 0
31
    융>
32
   <8
33
   set rsTitleText = Server.CreateObject("ADODB.Recordset")
34 rsTitleText.ActiveConnection = MM_dbEPakLibs_STRING
   rsTitleText.Source = "SELECT * FROM titleText"
35
36 rsTitleText.CursorType = 0
37
   rsTitleText.CursorLocation = 2
38 rsTitleText.LockType = 3
39
   rsTitleText.Open()
40
   rsTitleText numRows = 0
41
    융>
42
    < %
43
             ' cart qty is numeric field
             ' prod_id is ID field (hidden)
44
    If (Session("QTY") <> "" AND Session("ID") <> "") Then
45
46
        itemsStr = Session("ID")
47
        qtyStr = Session("QTY")
48
49
        splitItems = Split(itemsStr, "|")
50
        splitQTY = Split(qtyStr, "|")
51
52
    End If
53
    If (Session("QTY") = "") Then
54
55
        noItems = true
56
    End If
57
58
    Dim totalCost
59
60
   <!--#include file="../../global.asp" -->
61
    <html>
   .<head>
62
   <title>Checkout</title>
63
64
    <meta http-equiv="Content-Type" content="text/html; charset=iso-8859-1">
65
    </head>
66
    <body bgcolor="#<%=(EP bgcolor)%>"
        text="\#<%=EP text\%>"
67
        link="#<%=EP link%>"
68
:\EPack Startup Files\templates\1\receipt.asp: 1/4
```

```
vlink="#<%=EP vlink%>"
69
       alink="#<%=EP alink%>"
70
       leftmargin="3"
71
       topmargin="0"
72
      marginwidth="0"
73
       marginheight="0"
74
      background="../../<%=(EP_bgImg)%>">
75
   <!--#include file="../../banner.asp" -->
76
77
   " cellspacing="0
78
   ">
79
     80
       ">
81
82
          83
            <div align="center"> <font face="sans-serif" size="2"><b>
84
85
86
                 'check to see which Title Text file is selected
87
                 cycleDone = false
88
                 Dim titleTextFile
89
90
                 While (NOT rsTitleText.EOF)
91
92
                     If (rsTitleText.Fields.Item("EP isSelected").Value = "True") Then
93
                        titleTextFile = rsTitleText.Fields.Item("EP titleTextFile").Value
94
                     End If
95
                        rsTitleText.MoveNext
96
                 Wend
97
                 용>
98
               <object classid="clsid:D27CDB6E-AE6D-11cf-96B8-444553540000" codebase="http://do</pre>
   wnload.macromedia.com/pub/shockwave/cabs/flash/swflash.cab#version=4,0,2,0" width="480" height
   ="40">
99
                 <param name="movie" value="../../banners/titleText/<%=(titleTextFile)%>?txt=<P</pre>
    ALIGN='CENTER'><FONT COLOR='#<%=EP text%>'>Your Receipt</FONT></P>">
00
               <param name=wmode value=transparent>
01
                 <param name=quality value=high>
02
                 <embed src="../../banners/titleText/<%=(titleTextFile)%>?txt=<P ALIGN='CENTER'</pre>
   ><FONT COLOR='#<%=EP text%>'>Your Receipt</FONT></P>" quality=high pluginspage="http://www.mac
   romedia.com/shockwave/download/index.cgi?P1_Prod_Version=ShockwaveFlash" type="application/x-s
   hockwave-flash" width="480" height="40">
03
                 </embed>
               </object></b></font></div>
24
35
            06
07
          08
09
              <hr color="#<%=EP bordercolor%>">
10
            11
          12
            >
13
14
              <div align="center"><font face="sans-serif" size="2">Thank you, <%=Request("userNa</pre>
   me") %><br>
15
               for shopping with <%=(rsAdminInfo.Fields.Item("EP clientBizName").Value)%>.<br>
16
17
                 </font></div>
            18
          19
30
          21
            <div align="center">
22
               23
24
                   <b><font face="sans-serif" size="2">Quantity</font></b>
25
                   <b><font face="sans-serif" size="2">&nbsp;&nbsp;Name
26
27
                    of Item(s)</font></b>
28
                   <b><font face="sans-serif" size="2">Price</font></b>
                   <font face="sans-serif" size="2"><b>S&amp;H</b></font>
29
```

\EPack Startup Files\templates\1\receipt.asp: 2/4

```
.30
                   .31
                   <%
.32
   If (NOT noItems) Then
.33
.34
.35
   While (i <= Ubound(splitItems))
.36
.37
                   .38
                    .39
                      <div align="center"><font face="sans-serif" size="2"><%=splitQTY(i)%></fon
   t></div>
40
                    41
                    <%
42
           rsProducts.MoveFirst()
43
           While (NOT rsProducts.EOF)
44
45
46
               If (CStr(splitItems(i)) = CStr(rsProducts.Fields.Item("ID").Value)) Then
47
48
               itemCost = rsProducts.Fields.Item("EP Pprice").Value * Int(splitQTY(i))
               shipCost = rsProducts.Fields.Item("EP PshipPrice").Value * Int(splitQTY(i))
49
50
               totalCost = totalCost + shipCost + itemCost
51
               용>
52
                    <font face="sans-serif" size="2">&nbsp;&nbsp;&nbsp;&nbsp;<%=
    (rsProducts.Fields.Item("EP Pname").Value)%></font>
53
                    <font face="sans-serif" size="2"><%=FormatCurrency(itemCost)</pre>
    %></font>
54
                    <% If (shipCost <> "") Then
55
   용>
56
                    <font size="2" face="sans-serif"><%=FormatCurrency(shipCost)
    %></font>
57
                    <% End If
58
   %>
59
                    <%
60
               End If
61
               용>
62
63
           rsProducts.MoveNext()
64
           Wend
65
           용>
                   66
67
                   < ₹
68
   i=i+1
69
   Wend
70
71
   End If
72
73
                 74
                 75
                  76
                    77
                      <div align="right"><b><font face="sans-serif" size="2">Grand
78
                        Total:</font></b></div>
79
                    30
                    <div align="right"><b><font face="sans-serif" size="2"><%=FormatCurrency(t</pre>
31
   otalCost) %></font></b></div>
82
                    83
                  34
                 35
86
                 <font face="sans-serif" size="2"><b>THIS IS YOUR RECEIPT</b></font><br>
                 <font face="sans-serif" size="1"><%=(rsAdminInfo.Fields.Item("EP_clientBizName")</pre>
37
    .Value) %> <br>
                <%=(rsAdminInfo.Fields.Item("EP_clientAddress1").Value)%> <br>
38
89
                <%=(rsAdminInfo.Fields.Item("EP_clientCity").Value)%>,&nbsp;<%=(rsAdminInfo.Fiel</pre>
   ds.Item("EP_clientState").Value) %>    <%=(rsAdminInfo.Fields.Item("EP_clientZIP").Valu
    e) %><br>
90
                 <%=(rsAdminInfo.Fields.Item("EP clientPhone1").Value)%><br>
:\EPack Startup Files\templates\1\receipt.asp: 3/4
```

```
91
                 <%=(rsAdminInfo.Fields.Item("EP_clientEmail1").Value)%> </font><br>
                 <a href="javascript:print();"><font face="sans-serif" size="2"><img src="../../i</pre>
92
   mages/misc/printer.gif" width="20" height="18" border="0">Click
93
                 here to print a copy of this page. <img src="../../images/misc/printer.gif" width
   ="20" height="18" border="0"></font></a></div>
.94
             .95
96
           :97
               <hr color="#<%=EP_bordercolor%>">
98
99.
             00
           01
             02
03
               <div align="center"> </div>
04
             05
         06
07
       80
09
   10
    </body>
11
    </html>
12
   < ୫
13
   rsProducts.Close()
14
15
   < %
16
   rsTitleText.Close()
17
    용>
18
    <₹
19
    rsAdminInfo.Close()
20
21
    ' Clears Session variables to empty shopping cart
    Session("ID") = ""
22
    Session("QTY") = ""
23
24
25
    용>
26
```

a salada ne

```
<%@LANGUAGE="VBSCRIPT"%>
 2
    <!--#include file="../../Connections/dbEPakOrders.asp" -->
 3
    <ક
    ' *** Edit Operations: declare variables
 4
 5
    MM editAction = CStr(Request("URL"))
 7
    If (Request.QueryString <> "") Then
 8
      MM editAction = MM editAction & "?" & Request.QueryString
 9
    End If
10
    ' boolean to abort record edit
11
12
    MM abortEdit = false
13
14
    ' query string to execute
15
    MM editQuery = ""
16
    용>
17
    ' *** Insert Record: set variables
18
19
20
    If (CStr(Request("MM_insert")) <> "") Then
21
      MM editConnection = MM_dbEPakOrders_STRING
22
23
      MM editTable = "orderInfo"
24
      MM_editRedirectUrl = "receipt.asp?userName=" & Request.Form("billName")
      MM_fieldsStr = "card_type|value|cardNum|value|cardExp|value|billName|value|billAddr|value|b
    illCity|value|billState|value|BillZIP|value|billPhone|value|billEmail|value|altPhone|value|alt
    Name|value|altAddr|value|altCity|value|altState|value|altZIP|value|orderedItems|value|orderedQ
    TY | value"
    MM_columnsStr = "EPak_odrCCtype|',none,''|EPak_odrCC|',none,''|EPak_odrCCexp|',none,''|EPak_odrName|',none,''|EPak_odrBillAddr|',none,''|EPak_odrBillCity|',none,''|EPak_odrBillST|',none,
    ''|EPak_odrBillZIP|',none,''|EPak_odrBillPhone|',none,''|EPak_odrEmail|',none,''|EPak_odrAltPh
    one|',none,''|EPak_odrAltName|',none,''|EPak odrAltAddr|',none,''|EPak odrAltCity|',none,''|EP
    ak_odrAltST|',none,''|EPak_odrAltZIP|',none,''|EPak_ItemsAr|',none,''|EPak_ItemsQTY|',none,''"
27
28
      ' create the MM fields and MM_columns arrays
29
      MM_fields = Split(MM_fieldsStr, "|")
30
      MM_columns = Split(MM_columnsStr, "|")
31
32
      ' set the form values
33
      For i = LBound (MM fields) To UBound (MM fields) Step 2
34
        MM fields(i+1) = CStr(Request.Form(MM fields(i)))
35
      Next
36
37
      ' append the query string to the redirect URL
      If (MM editRedirectUrl <> "" And Request.QueryString <> "") Then
38
39
        If (InStr(1, MM_editRedirectUrl, "?", vbTextCompare) = 0 And Request.QueryString <> "") Th
    en
40
          MM_editRedirectUrl = MM_editRedirectUrl & "?" & Request.QueryString
41
42
          MM_editRedirectUrl = MM_editRedirectUrl & "&" & Request.QueryString
43
        End If
      End If
44
45
    End If
46
47
    용>
48
49
    ' *** Insert Record: construct a sql insert statement and execute it
50
51
    If (CStr(Request("MM insert")) <> "") Then
52
53
      ' create the sql insert statement
54
      MM_tableValues = ""
      MM dbValues = ""
55
56
      For i = LBound(MM fields) To UBound(MM fields) Step 2
57
        FormVal = MM_fields(i+1)
58
        MM_typeArray = Split(MM_columns(i+1),",")
        Delim = MM typeArray(0)
59
        If (Delim = "none") Then Delim = ""
60
        AltVal = MM typeArray(1)
:\EPack Startup Files\templates\1\processInfo.asp: 1/8
```

```
30
      leftmargin="3"
31
      topmargin="0"
32
      marginwidth="0"
      marginheight="0"
33
34
      background="../../<%=(EP_bgImg)%>">
   <!--#include file="../../banner.asp" -->
35
36
   " cellspacing="0"
37
38
    39
      ">
40
         41
42
           <div align="center"><font face="sans-serif" size="2"><b>Before we
43
              process your order, we need your billing information.</b></font>
44
45
           46
47
         48
           49
            <hr color="#<%=EP_bordercolor%>">
50
           51
52
         53
         54
            <div align="center"><font face="sans-serif" size="2">Please fill out
55
              the following form: <br>
56
              (<font color="#<%=EP bordercolor%>">&nbsp;*</font>
57
              indicates a required field.)</font><br>
58
59
                <br>
              <form name="billInfo" method="POST" action="<%=MM editAction%>">
60
               61
                 62
                  53
                    <div align="left"><font face="sans-serif" size="2"><b>Credit
54
55
                      Card Information</b></font></div>
                   66
                 57
                 68
                  69
                    <div align="right"><font face="sans-serif" size="2">Credit
70
71
                      Card Type:</font></div>
                  12
                   73
                    <select name="card type">
74
                      <option value="Visa">Visa</option>
75
76
                      <option value="Mastercard">Mastercard</option>
77
                    </select>
                  78
79
                 30
                   31
                    <div align="right"><font face="sans-serif" size="2">Credit
32
33
                      Card Number:</font></div>
34
                   35
                    <input type="text" name="cardNum" size="20">
36
37
                  38
                 39
                 30
                    <div align="right"><font face="sans-serif" size="2">Expiration
31
                      Date:</font></div>
12
33.
                  34
                   35
                    <input type="text" name="cardExp" size="6" value="MM/YY">
36
                   37
```

م<u>ا</u> منظور المدورة

```
62
        If (AltVal = "none") Then AltVal = ""
:63
        EmptyVal = MM typeArray(2)
        If (EmptyVal = "none") Then EmptyVal = ""
-64
65
        If (FormVal = "") Then
66
          FormVal = EmptyVal
67
        Else
68
          If (AltVal <> "") Then
69
            FormVal = AltVal
70
          ElseIf (Delim = "'") Then ' escape quotes
            FormVal = "'" & Replace(FormVal, "'", "''") & "'"
71
72
73
            FormVal = Delim + FormVal + Delim
74
          End If
75
        End If
76
        If (i <> LBound(MM fields)) Then
77
          MM_tableValues = MM tableValues & ","
78
          MM_dbValues = MM_dbValues & ","
79
        End if
80
        MM tableValues = MM tableValues & MM columns(i)
81
        MM_dbValues = MM_dbValues & FormVal
82
83
      MM editQuery = "insert into " & MM_editTable & " (" & MM_tableValues & ") values (" & MM_dbV
    alues & ")"
84
85
      If (Not MM abortEdit) Then
86
        ' execute the insert
87
        Set MM editCmd = Server.CreateObject("ADODB.Command")
88
        MM editCmd.ActiveConnection = MM editConnection
        MM editCmd.CommandText = MM editQuery
89
90
        MM editCmd.Execute
91
        MM editCmd.ActiveConnection.Close
92
93
        If (MM editRedirectUrl <> "") Then
94
          Response.Redirect(MM editRedirectUrl)
95
96
      End If
97
98
   End If
99
   융>
00
   <ક
    set Recordset1 = Server.CreateObject("ADODB.Recordset")
01
    Recordset1.ActiveConnection = MM dbEPakOrders STRING
    Recordset1.Source = "SELECT * FROM orderInfo"
03
04
    Recordset1.CursorType = 0
    Recordset1.CursorLocation = 2
06
    Recordset1.LockType = 3
07
    Recordset1.Open()
08
    Recordset1_numRows = 0
09
10
   <!--#include file="../../global.asp" -->
    <html>
11
12
    <head>
13
    <SCRIPT LANGUAGE="JavaScript">
    clicked = false
14
    function jsSubmitBilling() {
15
        if (clicked != true) {
16
17
            clicked = true
18
            _document.billInfo.submit()
19
        }
20
21
    </SCRIPT>
22
    <title>Order Form</title>
23
    <meta http-equiv="Content-Type" content="text/html; charset=iso-8859-1">
24
    </head>
    <body bgcolor="#<%=(EP bgcolor)%>"
25
        text="#<%=EP text%>"
26
        link="#<%=EP link%>"
27
        vlink="#<%=EP vlink%>"
28
        alink="#<%=EP alink%>"
29
:\EPack Startup Files\templates\1\processInfo.asp: 2/8
```

```
98
                    .99
                       
00
                    01
                    02
                      <font face="sans-serif" size="2"><b>Contact
03
                        Information</b></font>
0.5
                    06
                      <div align="right"><font face="sans-serif" size="2" color="#<%=EP border</pre>
07
   color%>">*</font><font face="sans-serif" size="2">
08
                         Billing Name:</font></div>
09
10
                      <input type="text" name="billName" size="20">
11
12
                    13
14
                    15
                      <div align="right"><font face="sans-serif" size="2" color="#<%=EP border</pre>
16
   color%>">*</font>&nbsp;<font face="sans-serif" size="2">Billing
17
                         Address:</font></div>
18
                      19
                      20
                        <input type="text" name="billAddr" size="20">
21
                      22
                    23
24
                      25
                        <div align="right"><font face="sans-serif" size="2" color="#<%=EP border</pre>
   color%>">*</font>&nbsp;<font face="sans-serif" size="2">Billing
26
                         City:</font></div>
27
                      28
                        <input type="text" name="billCity" size="15">
29
30
                      31
                    32
33
                      34
                        <div align="right"><font face="sans-serif" size="2" color="#<%=EP border
   color%>">*</font>&nbsp;<font face="sans-serif" size="2">Billing
35
                         State:</font></div>
36
                      37
38
                        <select name="billState">
39
                         <option value="00" selected>--</option>
10
                         <option value="AL">AL</option>
                         <option value="AK">AK</option>
11
12
                         <option value="AZ">AZ</option>
13
                         <option value="AR">AR</option>
14
                         <option value="CA">CA</option>
15
                         <option value="CO">CO</option>
16
                         <option value="CT">CT</option>
                         <option value="DE">DE</option>
17
18
                         <option value="FL">FL</option>
:9
                         <option value="GA">GA</option>
50
                         <option value="HI">HI</option>
                         <option value="ID">ID</option>
51
                         <option value="IL">IL</option>
52
                         <option value="IN">IN</option>
53
;4
                         <option value="IA">IA</option>
                         <option value="KS">KS</option>
55
                         <option value="KY">KY</option>
56
17
                         <option value="LA">LA</option>
                         <option value="ME">ME</option>
38
59
                         <option value="MD">MD</option>
50
                         <option value="MA">MA</option>
51
                         <option value="MI">MI</option>
                         <option value="MN">MN</option>
52
```

```
<option value="MS">MS</option>
63
64
                          <option value="MO">MO</option>
                          <option value="MT">MT</option>
65
                          <option value="NE">NE</option>
66
                          <option value="NV">NV</option>
67
                          <option value="NH">NH</option>
68
69
                          <option value="NJ">NJ</option>
                          <option value="NM">NM</option>
70
                          <option value="NY">NY</option>
71
                          <option value="NC">NC</option>
72
                          <option value="ND">ND</option>
73
                          <option value="OH">OH</option>
74
                         <option value="OK">OK</option>
75
76
                          <option value="OR">OR</option>
77
                          <option value="PA">PA</option>
                          <option value="RI">RI</option>
78
                          <option value="SC">SC</option>
79
80
                          <option value="SD">SD</option>
81
                          <option value="TN">TN</option>
                          <option value="TX">TX</option>
82
                          <option value="UT">UT</option>
83
                          <option value="VT">VT</option>
34
35
                          <option value="VA">VA</option>
36
                          <option value="WA">WA</option>
37
                          <option value="WV">WV</option>
                          <option value="WI">WI</option>
88
                          <option value="WY">WY</option>
39
                        </select>
90
                      91
                    92
33
                    94
                        <div align="right"><font face="sans-serif" size="2" color="#<%=EP border</pre>
95
   color%>">*</font>&nbsp;<font face="sans-serif" size="2">Billing
96
                          ZIP:</font></div>
37
                      98
                        <input type="text" name="BillZIP" size="8">
39
00
                      )1
                    ງ2
                      )3
)4
                        <div align="right"><font face="sans-serif" size="2" color="#<%=EP border</pre>
   color%>">*</font>&nbsp;<font face="sans-serif" size="2">Billing
)5
                          Phone #:</font></div>
)6
                      )7
9(
                        <input type="text" name="billPhone" size="13">
)9
                      LO
                    11
                    12
                      13
                        <div align="right"><font face="sans-serif" size="2" color="#<%=EP border</pre>
   color%>">*</font>&nbsp;<font face="sans-serif" size="2">Contact
.4
                          Email Address:</font></div>
.5
16
                      17
                        <input type="text" name="billEmail" size="20">
18
                      19
                    20
                       
21
22
                    :3
                    14
                      25
                        <div align="left"><font face="sans-serif" size="2"><b>Optional
                          Information</b></font></div>
26
27
                      38
```

\EPack Startup Files\templates\1\processInfo.asp: 5/8

```
329
                    330
                      331
                        <div align="right"><font face="sans-serif" size="2">Alternate
332
                         Phone #:</font></div>
333.
                      334
                      335
                       <input type="text" name="altPhone" size="13">
336
                      <-/td>
337
                    338
                    339
                       
340
                    341
                    342
                      <font face="sans-serif" size="2"><b>Alternate
343
                       Shipping Information</b></font>
344
                    345
                    346
                      347
                       <div align="right"><font face="sans-serif" size="2">Alternate
348
                         Name:</font></div>
349
                      350
351
                       <input type="text" name="altName" size="20">
352
                      353
                    354
                    355
                      356
                       <div align="right"><font face="sans-serif" size="2">Alternate
357
                         Address:</font></div>
358
                     359
360
                       <input type="text" name="altAddr" size="20">
361
                      362
363
                    364
                      365
                       <div align="right"><font face="sans-serif" size="2">Alternate
366
                         City:</font></div>
367
                      368
369
                       <input type="text" name="altCity" size="15">
370
                     371
372
                    373
                     374
                       <div align="right"><font face="sans-serif" size="2">Alternate
375
                         State:</font></div>
376
                     377
                     378
                       <select name="altState">
179
                         <option value="00" selected>--</option>
380
                         <option value="AL">AL</option>
381
                         <option value="AK">AK</option>
:82
                         <option value="AZ">AZ</option>
:83
                         <option value="AR">AR</option>
384
                         <option value="CA">CA</option>
385
                         <option value="CO">CO</option>
:86
                         <option value="CT">CT</option>
:87
                         <option value="DE">DE</option>
:88
                         <option value="FL">FL</option>
89
                         <option value="GA">GA</option>
90
                         <option value="HI">HI</option>
:91
                         <option value="ID">ID</option>
:92
                         <option value="IL">IL</option>
93
                         <option value="IN">IN</option>
94
                         <option value="IA">IA</option>
95
                         <option value="KS">KS</option>
96
                         <option value="KY">KY</option>
.97
                         <option value="LA">LA</option>
::\EPack Startup Files\templates\1\proc ssInfo.asp: 6/8-
```

```
398
                            <option value="ME">ME</option>
399
                            <option value="MD">MD</option>
400
                            <option value="MA">MA</option>
401
                            <option value="MI">MI</option>
                            <option value="MN">MN</option>
402
403
                            <option value="MS">MS</option>
404
                            <option value="MO">MO</option>
405
                            <option value="MT">MT</option>
                            <option value="NE">NE</option>
406
407
                            <option value="NV">NV</option>
408
                            <option value="NH">NH</option>
409
                            <option value="NJ">NJ</option>
410
                            <option value="NM">NM</option>
411
                            <option value="NY">NY</option>
412
                            <option value="NC">NC</option>
413
                            <option value="ND">ND</option>
414
                            <option value="OH">OH</option>
415
                            <option value="OK">OK</option>
                            <option value="OR">OR</option>
416
417
                            <option value="PA">PA</option>
418
                            <option value="RI">RI</option>
                            <option value="SC">SC</option>
419-
420
                            <option value="SD">SD</option>
                            <option value="TN">TN</option>
421
422
                            <option value="TX">TX</option>
423
                            <option value="UT">UT</option>
424
                            <option value="VT">VT</option>
425
                            <option value="VA">VA</option>
426
                            <option value="WA">WA</option>
427
                            <option value="WV">WV</option>
428
                            <option value="WI">WI</option>
429
                            <option value="WY">WY</option>
430
                          </select>
431
                        432
                      433
                      434
435
                          <div align="right"><font face="sans-serif" size="2">Alternate
436
                            ZIP:</font></div>
437
                        438
439
                          <input type="text" name="altZIP" size="8">
440
                        441
                      442
                      443
                         
144
                        445
                          <input type="hidden" name="orderedItems" value="<%=Session("ID")%>">
                          <input type="hidden" name="orderedQTY" value="<%=Session("QTY")%>">
446
                        147
                      148
149
                      150
                        151
                          <div align="center">
152
                            <input type="button" onClick="jsSubmitBilling()" id="submitBtn" name="
    submitBtn" value="Click here to finalize your order." style="
153
                          border-color: #<%=EP_bordercolor%>;
154
                          border-style: groove;
155
                          border-width: 3px;
156
                          background-color: #<%=EP bgcolor%>;
157
                          color: #<%=EP text%>;
                          cursor: hand; ">
:58
159
                          </div>
160
                        61
                      62
                    163
                    <input type="hidden" name="MM insert" value="true">
164
                  </form>
                </div>
::\EPack Startup Fil s\templates\1\processInfo.asp: 7/8
```

```
166
           167
         168
         169
           <hr color="#<%=EP_bordercolor%>">
170
171
         172
173
         174
175
            <div align="center"> </div>
           176
177
         178
        179
     180
:81
   .82
   </body>
:83
   </html>
184
   <₹
185
   Recordset1.Close()
86
-87
```

```
<!--#include file="../../global.asp" -->
2
  <html>
  <title>Thank you for your inquiry</title>
  <meta http-equiv="Content-Type" content="text/html; charset=iso-8859-1">
6
  </head>
7
  <body bgcolor="#<%=(EP_bgcolor)%>"
8
     text="#<%=EP text%>"
9
     link="#<%=EP link%>"
0
     vlink="#<%=EP vlink%>"
     alink="#<%=EP_alink%>"
1
2
     leftmargin="3"
     topmargin="0"
3
     marginwidth="0"
4
     marginheight="0"
5
     background="../../<%=(EP_bgImg)%>">
6
7
  <!--#include file="../../banner.asp" -->
8
  " cellspacing="0"
9
0
    1
     2
       ">
3
        4
          5
            <hr color="#<%=EP bordercolor%>">
6
          7
        8
        9
          <div align="center"><b><font face="sans-serif" size="2">Thank you</font><font face=</pre>
)
  "sans-serif" size="2">
1
             for your inquiry.</font></b><font face="sans-serif" size="2"><br>
2
             <br>
3
             If necessary, and if you've provided us with your email address, <br>
             we will respond as soon as possible.</font></div>
          5
        5
        3
          3
            <hr color="#<%=EP bordercolor%>">
)
          3
          <div align="center"> </div>
          ₹
    </body>
  </html>
```

시 얼마를 가게

```
<%@LANGUAGE="VBScript"%>
   <!--#include file="../../Connections/dbEPakRecords.asp" -->
   <!--#include file="../../Connections/dbEPakAppearance.asp" -->
   <!--#include file="../../Connections/dbEPakObjectProps.asp" -->
 5
   set rsOwnerInfo = Server.CreateObject("ADODB.Recordset")
 7
   rsOwnerInfo.ActiveConnection = MM dbEPakRecords STRING
   rsOwnerInfo.Source = "SELECT * FROM adminInfo"
 8
 9
   rsOwnerInfo.CursorType = 0
10 rsOwnerInfo.CursorLocation = 2
11
   rsOwnerInfo.LockType = 3
12
   rsOwnerInfo.Open()
13 rsOwnerInfo numRows = 0
14
   융>
15 <%
16 set rsPageBools = Server.CreateObject("ADODB.Recordset")
17 rsPageBools.ActiveConnection = MM dbEPakAppearance_STRING
18 rsPageBools.Source = "SELECT * FROM pages"
19 rsPageBools.CursorType = 0
20 rsPageBools.CursorLocation = 2
   rsPageBools.LockType = 3
21
22
   rsPageBools.Open()
23 rsPageBools_numRows = 0
24 %>
25
   < %
26
   set rsCouponInfo = Server.CreateObject("ADODB.Recordset")
27
   rsCouponInfo.ActiveConnection = MM_connEPObjectProps STRING
28 rsCouponInfo.Source = "SELECT ID, coupon expDate FROM coupon"
29 rsCouponInfo.CursorType = 0
30 rsCouponInfo.CursorLocation = 2
31 rsCouponInfo.LockType = 3
32 rsCouponInfo.Open()
33 rsCouponInfo_numRows = 0
34
   %>
35 <!--#include file="../../global.asp" -->
36 <%
    hltBox = "onMouseOver="&Chr(34)&"this.style.background='"& EP highlight &"';this.style.color='
37
    "& EP alink &"'"&Chr(34)&VBlf&"onMouseOut="&Chr(34)&"this.style.background='transparent';this.
    style-color='"& EP text &"'"&Chr(34)&VBlf&" style="&Chr(34)&"cursor: hand;"&Chr(34)&""
38
    용>
39
   < 8
10
   If (NOT rsCouponInfo.EOF) Then
11
        rsCouponInfo.MoveFirst()
12
        couponExpired = false
13
        writeCoupon = false
14
        While (NOT rsCouponInfo.EOF)
15
16
        If (rsCouponInfo.Fields.Item("coupon expDate").Value <> "") Then
17
            expireDate = rsCouponInfo.Fields.Item("coupon expDate").Value
18
            expireArray = Split(expireDate, "/")
19
50
            currentDate = Date
                                  ' currentDate = server's current date (MM/DD/YY)
            currentArray = Split(currentDate, "/")
51
52
            ' compare values, first year, then month, then day.
            ' if current values are greater than expire values, then respond
53
            ' with a CANCEL variable
54
55
56
            if (Int(currentArray(2)) > Int(expireArray(2))) Then
57
                couponExpired = true
58
            End If
59
50
            If (Int(currentArray(0)) > Int(expireArray(0))) Then
51
                couponExpired = true
52
53
54
            If (Int(currentArray(1)) > Int(expireArray(1))) Then
55
                couponExpired = true
56
            End If
57
        End If
```

```
68
69
           If (NOT couponExpired) Then
70
              writeCoupon = true
71
           End If
72
73
       rsCouponInfo.MoveNext()
74
75
       rsCouponInfo.MoveFirst()
76
   End If
77
   %>
78
79
   <html>
80
   <head>
81
   <STYLE>
82
   .disableHscroll{
33
   width:100%;overflow-x:hidden;
34
85
   a í
        text-decoration: none; }
86
   </STYLE>
87
   <title>Menu</title>
38
   <meta http-equiv="Content-Type" content="text/html; charset=iso-8859-1">
39
   <script language="JavaScript" src="js/compTest1.js"></script>
90
   </head>
91
   <body bgcolor="#<%=EP bgcolor%>"
32
       text="#<%=EP text%>"
93
       link="#<%=EP link%>"
94
       vlink="#<%=EP vlink%>"
35:
       alink="#<%=EP alink%>"
36
       leftmargin="0"
37
       topmargin="0"
98
       marginwidth="0"
39
       marginheight="0"
00
       background="../../<%=EP menubgImg%>"
)1
       class="disableHscroll">
)2
   <table width="100%" border="1" cellspacing="0" cellpadding="0" bordercolor="#<%=EP bordercolor
   %>" height="100%">
)3
     )4
       <img src="../../images/logo lg.gif" width="150" height="80"
   >
)5
     )6
     )7
       )8
         <table width="100%" border="0" cellspacing="0" cellpadding="0" bordercolor="#<%=EP borde
   rcolor%>">
)9
           10
             11
               <div align="center"><font face="Verdana, Arial, Helvetica, sans-serif" size="2"><b</pre>
   >Menu</b></font></div>
12
             .3
           .4
           .5
             <font color="#FFFFFF">&nbsp;</font>
'.6
               <div align="center"><font face="Verdana, Arial, Helvetica, sans-serif" size="2">&n
   bsp;</font></div>
.7
             8
<u>'</u>.9
           >
20
              
             <font face="sans-serif" size="2">
21
?2
              <SCRIPT LANGUAGE="JavaScript">
:3
             if (is nav) {
?4
                document.write('<a href="home.asp" target="epak main">');
:5
:6
             </SCRIPT>
:7
              Home Page
:8
               <SCRIPT LANGUAGE="JavaScript">
:9
             if (is nav) {
30
              document.write("</a>");
31
```

\EPack Startup Files\templates\1\menu.asp: 2/6

```
32
           </SCRIPT>
33
             </font>
34
         35
         < %
36
         If (rsPageBools.Fields.Item("EPak_about").Value <> "False") Then
37
38
         >
39
            
40
           <font face="sans-serif" size="2">
41
             <script language="JavaScript">
42
           if (is nav) {
43
              document.write('<a href="about.asp" target="epak main">');
44
45
           </script>
46
             About Us
47
             <script language="JavaScript">
48
           if (is nav) {
49
             document.write("</a>");
50
51
           </script>
52
             </font>
53
         <% End If %>
54
55
         <୫
56
         If (rsPageBools.Fields.Item("EPak_catalog").Value <> "False") Then
57
58
         >
59
            
60
           <font face="sans-serif" size="2">
61
             <script language="JavaScript">
62
           if (is_nav) {
63
              document.write('<a href="catalog.asp" target="epak main">');
64
65
           </script>
66
            Our Catalog
57
             <script language="JavaScript">
58
           if (is nav) {
39
            document.write("</a>");
70
71
           </script>
72
             </font>
         73
74
         <% End If %>
15
         <%
76
         If (rsPageBools.Fields.Item("EPak sales").Value <> "False") Then
77
78
         >
79
            
3:0
           <font face="sans-serif" size="2">
31
             <script language="JavaScript">
32
           if (is nav) {
33
              document.write('<a href="specSales.asp" target="epak main">');
34
35
           </script>
             Special Sales
36
37
             <script language="JavaScript">
38
           if (is nav) {
39
            document.write("</a>");
30
           </script>
31
32
            </font>
         }3
         <% End If %>
34
35
         <₹
€)
         If (rsPageBools.Fields.Item("EPak_events").Value <> "False") Then
}7
         >
98
99
            
)0
           <font face="sans-serif" size="2">
\EPack Startup Files\templates\1\m nu.asp: 3/6
```

```
:01
              <script language="JavaScript">
:02
             if (is nav) {
103
                document.write('<a href="specEvents.asp" target="epak main">');
.04
105
             </script>
,0E
              Special Events
:07
              <script language="JavaScript">
:08
             if (is nav) {
,09
              document.write("</a>");
:10
:11
             </script>
112
              </font>
           13
.14
           <% End If %>
15
           < %
16
           If (rsPageBools.Fields.Item("EPak coupon"). Value <> "False" AND writeCoupon) Then
17
           용>
18
           >
19
               
20
             <font face="sans-serif" size="2">
21
              <script language="JavaScript">
22
             if (is nav) {
23
                document.write('<a href="coupon.asp" target="epak main">');
24
25
             </script>
26
              Web Coupon
27
              <script language="JavaScript">
28
             if (is nav) {
29
              document.write("</a>");
30
31
             </script>
32
              </font>
33
           34
           <% End If %>
35
           <୫
36
           If (rsPageBools.Fields.Item("EPak cart").Value <> "False") Then
37
38
           >
39
              
40
             <font face="sans-serif" size="2">
41
              <script language="JavaScript">
42
             if (is nav) {
43
                document.write('<a href="cart.asp" target="epak main">');
44
45
             </script>
46
              Shopping Cart
                                                                                    The same
47
              <script language="JavaScript">
48
             if (is nav) {
49
              document.write("</a>");
50
51
             </script>
52
              </font>
53
           <% End If %>
54
55
           If (rsPageBools.Fields.Item("EPak faq").Value <> "False") Then
56
57
58
           >
59
              
             <font face="sans-serif" size="2">
60
              <script language="JavaScript">
51
62
             if (is nav) {
                document.write('<a href="faq.asp" target="epak main">');
63
54
             </script>
55
66
              FAQ
57
              <script language="JavaScript">
68
             if (is nav) {
              document.write("</a>");
69
\EPack Startup Files\templates\1\menu.asp: 4/6
```

See See

```
271
            </script>
272
              </font>
273
          <% End If %>
274
275
          <%
276
          If (rsPageBools.Fields.Item("EPak_inquiries").Value <> "False") Then
277
          %>
?78
          >
279
             
380
            <font face="sans-serif" size="2">
281
              <script language="JavaScript">
282
:83
                document.write('<a href="inquiries.asp" target="epak main">');
184
.85
            </script>
:86
              Questions<br>
:87
              & Comments
:88
              <script language="JavaScript">
189
            if (is nav) {
:90
              document.write("</a>");
91
92
            </script>
93
              </font>
94
          95
          <% End If %>
96
          < %
97
          If (rsPageBools.Fields.Item("EPak_map").Value <> "False") Then
98
99
          >
00
             
01
            <font face="sans-serif" size="2">
02
              <script language="JavaScript">
03
            if (is nav) {
04
               document.write('<a href="map.asp" target="epak main">');
05
            </script>
06
07
              Map
08
              <script language="JavaScript">
09
            if (is nav) {
10
              document.write("</a>");
11
12
            </script>
13
              </font>
14
          15
          <% End If %>
16
17
          If (rsPageBools.Fields.Item("EPak_contact").Value <> "False") Then
18
          %>
19
          >
20
             
21
            <font face="sans-serif" size="2">
22
              <script language="JavaScript">
23
            if (is nav) {
24
               document.write('<a href="contact.asp" target="epak main">');
25
26
            </script>
27
              Contact Us
28
              <script language="JavaScript">
29
            if (is nav) {
30
              document.write("</a>");
31
32
            </script>
33
              </font>
          34
          <% End If %>
35
         36
       37
38
     :\EPack Startup Fil s\t mplat s\1\menu.asp: 5/6
```

in the second

270

عاليات أواليقائد المعالية

```
40
41
            <font face="Arial" size="1"><b><font color="#000000"><%=(rsOwnerInfo.Fields.Item("EP c</pre>
42
    lientBizName").Value)%></font></b><font color="#000000"><br>
            <%=(rsOwnerInfo.Fields.Item("EP_clientAddress1").Value)%><br>
<% If (rsOwnerInfo.Fields.Item("EP_clientAddress2").Value <> "") Then %>
.43
44
            <%=(rsOwnerInfo.Fields.Item("EP clientAddress2").Value)%><br>
45
.46
            <% End If %>
            <%=(rsOwnerInfo.Fields.Item("EP clientCity").Value)%>, <%=(rsOwnerInfo.Fields.Item("EP</pre>
47
    _clientState").Value) %>   <%=(rsOwnerInfo.Fields.Item("EP_clientZIP").Value) %><br>
            Phone:   <%=(rsOwnerInfo.Fields.Item("EP clientPhone1").Value) %></font></font>
48
49
50
        51
      52
    53
    </body>
    </html>
54
55
    rsOwnerInfo.Close()
56
57
    용>
58
    <୫
    rsPageBools.Close()
59
60
    %>
61
    rsCouponInfo.Close()
62
63
    %>
```

```
<%@LANGUAGE="VBSCRIPT"%>
    <!--#include file="../../Connections/dbEPakObjectProps.asp" -->
    <!--#include file="../../Connections/dbEPakLibs.asp" -->
    <୫
    set rsMapInfo = Server.CreateObject("ADODB.Recordset")
    rsMapInfo.ActiveConnection = MM connEPObjectProps STRING
    rsMapInfo.Source = "SELECT * FROM mapInfo"
    rsMapInfo.CursorType = 0
    rsMapInfo.CursorLocation = 2
 10
    rsMapInfo.LockType = 3
 11
    rsMapInfo.Open()
 12
    rsMapInfo_numRows = 0
 13
    ક>
 14
    < %
 15
    set rsTitleText = Server.CreateObject("ADODB.Recordset")
 16
    rsTitleText.ActiveConnection = MM dbEPakLibs STRING
    rsTitleText.Source = "SELECT * FROM titleText"
 17
 18
    rsTitleText.CursorType = 0
 19
    rsTitleText.CursorLocation = 2
 20 rsTitleText.LockType = 3
 21
    rsTitleText.Open()
 22
    rsTitleText_numRows = 0
 23
 24
    <!--#include file="../../global.asp" -->
 25
    <html>
 26
    <head>
 27
    <title>Company Map</title>
 28
     <meta http-equiv="Content-Type" content="text/html; charset=iso-8859-1">
 29
     </head>
 30
     <body bgcolor="#<%=(EP bgcolor)%>"
        text="#<%=EP text%>"
 31
        link="#<%=EP link%>"
 32
        vlink="#<%=EP vlink%>"
 33
        alink="#<%=EP alink%>"
 34
 35
        leftmargin="3"
 36
        topmargin="0"
        marginwidth="0"
 37
        marginheight="0"
 38
        background="../../<%=(EP_bgImg)%>">
 39
     <!--#include file="../../banner.asp" -->
 40
 41
     <br>
     " cellspacing="0"
 42
     ">
 43
      44
        45
          ">
 46
            47
              48
                <div align="center"><font face="sans-serif" size="2"><b>
 49
 50
                    'check to see which Title Text file is selected
 51
                    cycleDone = false
 52
                    Dim titleTextFile
 53
 54
                    While (NOT rsTitleText.EOF)
 55
 56
                        If (rsTitleText.Fields.Item("EP isSelected").Value = "True") Then
 57
                           titleTextFile = rsTitleText.Fields.Item("EP titleTextFile").Value
 58
                       End If
 59
                           rsTitleText.MoveNext
 60
                    Wend
 61
                  <object classid="clsid:D27CDB6E-AE6D-11cf-96B8-444553540000" codebase="http://do</pre>
     wnload.macromedia.com/pub/shockwave/cabs/flash/swflash.cab#version=4,0,2,0" width="480" height
     ="40">
 63
                    <param name="movie" value="../../banners/titleText/<%=(titleTextFile)%>?txt=<P_</pre>
     ALIGN='CENTER'><FONT COLOR='#<%=EP_text%>'>Company Map</FONT></P>">
64
                 <param name=wmode value=transparent>
465
                    <param name=quality value=high>
```

Section of the

```
66
                  <embed src="../../banners/titleText/<%=(titleTextFile)%>?txt=<P ALIGN='CENTER'</pre>
   ><FONT COLOR='#<%=EP text%>'>Company Map</FONT></P>" quality=high pluginspage="http://www.macr
   omedia.com/shockwave/download/index.cgi?Pl Prod Version=ShockwaveFlash" type="application/x-sh
   ockwave-flash" width="480" height="40">
67
                  </embed>
68
                </object></b></font></div>
69
            70
71
          72
              <hr color="#<%=EP_bordercolor%>">
73
74
            75
          76
          77
            <div align="center"><font face="sans-serif" size="2"> <A HREF="<%=(rsMapInfo.Field</pre>
78
   s.Item("EPak_mapURL").Value)%>"><br>
79
                Click here for a map and driving directions!</A><br>
80
81
                  </font></div>
82
            83
          84
           85
            >
86
              <div align="center"><font face="sans-serif" size="2">Maps provided
                by:</font></div>
87
88
            89
            90
              <div align="center">
91
                < %
92
              If (rsMapInfo.Fields.Item("EPak mapIMG").Value = "mapquest.gif") Then
93
94
                <A HREF="http://www.mapquest.com">
95
                < %
96
97
              %><A HREF="http://maps.yahoo.com">
98
                < ⅔
99
              End If
0.0
              %>
                <img border=0 src="../../images/mapsvcs/<%=rsMapInfo.Fields.Item("EPak_mapIMG").</pre>
01
   Value%>" width="250" height="59">
                </A> </div>
02
            03
          04
05
           06
            07
              <hr color="#<%=EP_bordercolor%>">
80
            09
10
           11
12
              <div align="center"> </div>
13
            14
          15
       16
17
     18
   19
  </body>
20
   </html>
21
22
   rsMapInfo.Close()
23
   융>
   < 8
24
25
   rsTitleText.Close()
26
27
```

المريد المستحد المراجع المراجع

```
<%@LANGUAGE="VBSCRIPT"%>
    <!--#include file="../../Connections/dbEPakRecords.asp" -->
    <!--#include file="../../Connections/dbEPakLibs.asp" -->
    < %
    ' *** Edit Operations: declare variables
    MM_editAction = CStr(Request("URL"))
    If (Request.QueryString <> "") Then
      MM_editAction = MM_editAction & "?" & Request.QueryString
    End If
10
11
12
    ' boolean to abort record edit
13
    MM abortEdit = false
14
15
    ' query string to execute
   MM_editQuery = ""
16
17
    %>
18
    < %
19
    ' *** Insert Record: set variables
20
21
    If (CStr(Request("MM insert")) <> "") Then
22
23
      MM editConnection = MM dbEPakRecords STRING
24
      MM editTable = "userInquiries"
25
      MM editRedirectUrl = "msgThanks.asp"
      MM_fieldsStr = "email|value|textfield|value|inqOptions|value"
26
27
      MM_columnsStr = "QC_usrEmail|',none,''|QC usrMsg|',none,''|QC usrOptions|',none,''"
28
29
      ' create the MM fields and MM columns arrays
30
      MM fields = Split (MM fieldsStr, "|")
31
      MM columns = Split(MM columnsStr, "|")
32
33
      ' set the form values
34
      For i = LBound(MM fields) To UBound(MM fields) Step 2
35
        MM_fields(i+1) = CStr(Request.Form(MM_fields(i)))
36
      Next
37
38
      ' append the query string to the redirect URL
      If (MM editRedirectUrl <> "" And Request.QueryString <> "") Then
39
40
        If (InStr(1, MM_editRedirectUrl, "?", vbTextCompare) = 0 And Request.QueryString <> "") Th
41
          MM editRedirectUrl = MM editRedirectUrl & "?" & Request.QueryString
42
43
          MM_editRedirectUrl = MM_editRedirectUrl & "&" & Request.QueryString
44
        End If
45
      End If
46
   End If
47.
4.8
    움>
49
    < %
    ' *** Insert Record: construct a sql insert statement and execute it
50
51
52 If (CStr(Request("MM_insert")) <> "") Then
53
54
      ' create the sql insert statement
      MM_tableValues = ""
55
      MM_dbValues = ""
56
57
      For i = LBound(MM fields) To UBound(MM fields) Step 2
58
        FormVal = MM fields(i+1)
59
        MM_typeArray = Split(MM columns(i+1),",")
60
        Delim = MM_typeArray(0)
        If (Delim = "none") Then Delim = ""
61
62
        AltVal = MM_typeArray(1)
63
        If (AltVal = "none") Then AltVal = ""
64
        EmptyVal = MM_typeArray(2)
        If (EmptyVal = "none") Then EmptyVal = ""
65
        If (FormVal = "") Then
66
67
          FormVal = EmptyVal
68
        Else
:\EPack Startup Files\templates\1\inquiries.asp: 1/5
```

Militaria in me

The state of the s

```
If (AltVal <> "") Then
69
70
            FormVal = AltVal
          ElseIf (Delim = "'") Then ' escape quotes
71
            FormVal = "'" & Replace(FormVal, "'", "''") & "'"
72
73
74
            FormVal = Delim + FormVal + Delim
75
          End If
76
        End If
77
        If (i <> LBound(MM fields)) Then
          MM_tableValues = MM_tableValues & ","
78
79
          MM dbValues = MM dbValues & ","
80
        End if
81
        MM tableValues = MM tableValues & MM columns(i)
82
        MM dbValues = MM dbValues & FormVal
83
84
      MM_editQuery = "insert into " & MM_editTable & " (" & MM_tableValues & ") values (" & MM_dbV
    alues & ")"
85
86
      If (Not MM abortEdit) Then
87
        ' execute the insert
88
        Set MM editCmd = Server.CreateObject("ADODB.Command")
        MM editCmd.ActiveConnection = MM editConnection
89
90
        MM editCmd.CommandText = MM editQuery
91
        MM editCmd.Execute
92
        MM_editCmd.ActiveConnection.Close
93
94
        If (MM editRedirectUrl <> "") Then
95
          Response.Redirect(MM editRedirectUrl)
96
        End If
97
      End If
98
   End If
99
.00
   ક>
01
    < 8
    set rsTitleText = Server.CreateObject("ADODB.Recordset")
   rsTitleText.ActiveConnection = MM dbEPakLibs STRING
   rsTitleText.Source = "SELECT * FROM titleText"
05 rsTitleText.CursorType = 0
06 rsTitleText.CursorLocation = 2
07
   rsTitleText.LockType = 3
08 rsTitleText.Open()
09
   rsTitleText_numRows = 0
10
   용>
    <୫
11
    set rsInqOptions = Server.CreateObject("ADODB.Recordset")
12
    rsInqOptions.ActiveConnection = MM dbEPakRecords STRING
13
    rsInqOptions.Source = "SELECT * FROM inqOptions"
14
15
    rsInqOptions.CursorType = 0
    rsInqOptions.CursorLocation = 2
16
17
    rsInqOptions.LockType = 3
18
    rsInqOptions.Open()
19
    rsInqOptions numRows = 0
20
    ક>
21
    < %
22
    Dim Repeat1
                 numRows
23
    Repeat 1 - 1
    Dim Repeat1
                index
25
    Repeat1
             index = 0
26
    rsInqOptions numRows = rsInqOptions numRows + Repeat1 numRows
27
28
    <!--#include file="../../global.asp" -->
29
30
    <head>
    <SCRIPT LANGUAGE="JavaScript">
31
32
        <₿
33
        arlen = 0
34
        rsIngOptions.MoveFirst()
35
        While (NOT rsIngOptions.EOF)
            arlen = arlen + 1
36
:\EPack Startup Files\templates\1\inquiries.asp: 2/5
```

```
137
            rsIngOptions.MoveNext()
138
        Wend
139
        rsInqOptions.MoveFirst()
140
141
142
    chkArray = new Array(<%=arlen%>);
    for (i=0; i<=<%=arlen%>; i++) {
143
144
        chkArray[i] = 0;
145
146
147
    function jsChangeOption(val, id) {
        store = "";
148
149
        if (chkArray[val] == 0) {
L50
            chkArray[val] = id;
:51
        } else {
.52
            chkArray(val) = 0;
.53
.54
        for (i=0; i<=(chkArray.length - 2); i++) {
.55
            store = store + chkArray[i] + "|";
∵56
.57
        document.inquiries.inqOptions.value = store;
.58
.59
.60
    <title>Questions & amp; Comments</title>
61
    <meta http-equiv="Content-Type" content="text/html; charset=iso-8859-1">
.62
63
    <body bgcolor="#<%=(EP bgcolor)%>"
 64
        text="#<%=EP text%>"
 65
        link="#<%=EP link%>"
66
        vlink="#<%=EP vlink%>"
 67
        alink="#<%=EP alink%>"
 68
        leftmargin="3"
 69
        topmargin="0"
70
        marginwidth="0"
 7.1
        marginheight="0"
 72
        background="../../<%=(EP_bgImg)%>">
 73
    <!--#include file="../../banner.asp" -->
 74
    " cellspacing="0
 75
 76
      77
        78
          ">
 79
 80
              81
                < %
 82
                    'check to see which Title Text file is selected
                    cycleDone = false
 83
                    Dim titleTextFile
 84
 85
                    While (NOT rsTitleText.EOF)
 86
 87
 88
                        If (rsTitleText.Fields.Item("EP isSelected").Value = "True") Then
 8.9
                            titleTextFile = rsTitleText.Fields.Item("EP_titleTextFile").Value
 90
                        End If
 91
                            rsTitleText.MoveNext
 92
                    Wend
 93
                    %>
 94
                <object classid="clsid:D27CDB6E-AE6D-11cf-96B8-444553540000" codebase="http://down</pre>
     load.macromedia.com/pub/shockwave/cabs/flash/swflash.cab#version=4,0,2,0" width="480" height="
     40">
                  <param name="movie" value="../../banners/titleText/<%=(titleTextFile)%>?txt=<P A</pre>
 95
    LIGN='CENTER'><FONT COLOR='#<%=EP text%>'>Questions %26 Comments</FONT></P>">
 96
                  <param name=wmode value=transparent>
 97
                  <param name=quality value=high>
 98
                  <embed src="../../banners/titleText/<%=(titleTextFile)%>?txt=<P ALIGN='CENTER'>
   FONT COLOR='#<%=EP_text%>'>Questions %26 Comments</FONT></P>" quality=high pluginspage="http:/
    /www.macromedia.com/shockwave/download/index.cgi?Pl_Prod_Version=ShockwaveFlash" type="applicage
    tion/x-shockwave-flash" width="480" height="40">
:\EPack Startup Files\templates\1\inquiries.asp: 3/5
```

```
199
                 </embed>
200
                </object> 
            201
202
            203
              204
                <hr color="#<%=EP bordercolor%>">
205
              206
            207
            208
              209
                <div align="center"></div>
210
              211
            212
            ?13
              <form method="POST" name="inquiries" action="<%=MM editAction%>">
114
215
                 ?16
                   ?17
                     ?18
                       <div align="center"><font face="sans-serif" size="2">This
19
                         page will allow you to send to us any inquiries<br>
20
                         you may have. anbsp; anbsp; Simply fill out the following form, <br>
221
                         and we will respond to your inquiry as quickly as we can. <br>
:22
                         <br>
:23
                         We respect your privacy, so your email address<br>
:24
                         is not required.     However, if you are seeking<br>
:25
                         an answer to questions, we will need it<br>
:26
                         in order to respond.     Any information <br/> br>
:27
                         you send to us will remain confidential, <br>
:28
                         nor will your email address<br>
:29
                         <b>ever</b> be given to <b>any</b> third parties. <br>
:30
                         <br>
131
                         Please provide your home<br>
.32
                         or business address if requesting a brochure. <br/> 
.33
                           </font></div>
.34
                     35
36
                   <font face="sans-serif" size="2">Email Address (not required):&nbsp;</fo
37
    nt>
.38
                       <input type="text" name="email" size="35">
39
                     40
41
                   42
                     <font face="sans-serif" size="2">Your Message:</font><br>
43
                       <textarea name="textfield" cols="50" wrap="VIRTUAL" rows="4"></textarea>
44
                     45
46
                   47
                     48
                       49
                         <8
50
    While ((Repeatl numRows <> 0) AND (NOT rsInqOptions.EOF))
51
52
    융>
53
                         54
                           55
                             <input type="checkbox" name="inqOpt<%=(rsInqOptions.Fields.Item("ID"</pre>
    ).Value)%>" value="true" onClick="jsChangeOption(<%=arlen%>, <%=(rsInqOptions.Fields.Item("ID"
    ).Value) %>) ">
5.6
                           <font face="Arial, Helvetica, sans-serif" size="1"><%=(rsInqOption
57
    s.Fields.Item("EP inqName").Value)%></font>
58
                         59
                         <8
60
    arlen = arlen + 1
      Repeat1__index=Repeat1__index+1
Repeat1__numRows=Repeat1__numRows-1
61
62
      rsIngOptions.MoveNext()
63
:\EPack Startup Files\templates\1\inquiries.asp: 4/5
```

44

w w Break

La Maria Mar

```
:64
   Wend
:65
    %>
:66
                      :67
                  :68
:69
                  :70
                      <input type="submit" name="Submit" value="Send us your message" style="</pre>
:71
:72
                       border-color: #<%=EP bordercolor%>;
:73
                       border-style: groove;
:74
                       border-width: 3px;
                       background-color: #<%=EP_bgcolor%>;
:75
76
                       color: #<%=EP text%>;
                       cursor: hand; ">
77
78
                    79
80
                <input type="hidden" name="MM insert" value="true">
81
                <input type="hidden" name="inqOptions" value="0|0">
82
83
84
             85
86
           87
             88
              <hr color="#<%=EP bordercolor%>">
89
90
           91
           92
             93
              <div align="center"> </div>
94
             95
           96
         97
       98
      99
    </body>
00
    </html>
01
02
    < %
03
   rsTitleText.Close()
04
   ક્ષ>
05
    < 8
06
    rsInqOptions.Close()
07
```

```
<%@LANGUAGE="VBSCRIPT"%>
   <!--#include file="../../Gonnections/dbEPakRecords.asp" -->
   <!--#include file="../../Connections/dbEPakObjectProps.asp" -->
   <!--#include file="../../Connections/dbEPakAppearance.asp" -->
   set rsOwnerInfo = Server.CreateObject("ADODB.Recordset")
7
   rsOwnerInfo.ActiveConnection = MM dbEPakRecords STRING
   rsOwnerInfo.Source = "SELECT * FROM adminInfo"
   rsOwnerInfo.CursorType = 0
10
   rsOwnerInfo.CursorLocation = 2
   rsOwnerInfo.LockType = 3
   rsOwnerInfo.Open()
13
   rsOwnerInfo numRows = 0
14
   .୫>
15
   <୫
16
   set rsCouponInfo = Server.CreateObject("ADODB.Recordset")
17
   rsCouponInfo.ActiveConnection = MM_connEPObjectProps_STRING
   rsCouponInfo.Source = "SELECT coupon_title, coupon_expDate FROM coupon"
   rsCouponInfo.CursorType = 0
20
   rsCouponInfo.CursorLocation = 2
   rsCouponInfo.LockType = 3
   rsCouponInfo.Open()
23
   rsCouponInfo_numRows = 0
24
   용>
25
   <ક
26
   set rsGreeting = Server.CreateObject("ADODB.Recordset")
   rsGreeting.ActiveConnection = MM_dbEPakAppearance_STRING
27
28 rsGreeting.Source = "SELECT * FROM greeting"
29 rsGreeting.CursorType = 0
30 rsGreeting.CursorLocation = 2
31
   rsGreeting.LockType = 3
32 rsGreeting.Open()
33
   rsGreeting numRows = 0
34
   융>
35
   <8
36
   set rsEP Pages = Server.CreateObject("ADODB.Recordset")
   rsEP Pages.ActiveConnection = MM_dbEPakAppearance STRING
37
38
   rsEP_Pages.Source = "SELECT epak_coupon FROM pages"
39
   rsEP Pages.CursorType = 0
40
   rsEP_Pages.CursorLocation = 2
   rsEP_Pages.LockType = 3
41
   rsEP_Pages.Open()
42
   rsEP Pages numRows = 0
43
44
    용>
   <!--#include file="../../global.asp" -->
45
46
   < %
47
    ' Split Greeting VBClf so it appears properly
48
49
   greetStr = rsGreeting.Fields.Item("EPak_Greeting").Value
50
51
    greetAr = Split(greetStr, VBCrLf)
52
   greetStrJoin = Join(greetAr, "<BR>")
53
54
    8>
55
    < %
56
    If (NOT rsCouponInfo.EOF) Then
57
        rsCouponInfo.MoveFirst()
58
        couponExpired = false
59
        writeCoupon = false
60
        While (NOT rsCouponInfo.EOF)
61
62
        If (rsCouponInfo.Fields.Item("coupon_expDate").Value <> "") Then
63
            expireDate = rsCouponInfo.Fields.Item("coupon expDate").Value
64
            expireArray = Split(expireDate, "/")
65
66
            currentDate = Date
                                 ' currentDate = server's current date (MM/DD/YY) .
67
            currentArray = Split(currentDate, "/")
68
              compare values, first year, then month, then day.
              if current values are greater than expire values, then respond
:\EPack Startup Files\templates\1\home.asp: 1/3
```

```
70
            ' with a CANCEL variable
 71
 72
            if (Int(currentArray(2)) > Int(expireArray(2))) Then
 73
               couponExpired = true
 74
            End If
 75
 76
            If (Int(currentArray(0)) > Int(expireArray(0))) Then
 77
               couponExpired = true
 78
            End If
 79
 80
            If (Int(currentArray(1)) > Int(expireArray(1))) Then
 81
               couponExpired = true
 82
            End If
 83
        End If
 84
 85
            If (NOT couponExpired) Then
 86
               writeCoupon = true
 87
            End If
 88
 89
        rsCouponInfo.MoveNext()
 90
 91
        rsCouponInfo.MoveFirst()
 92
    End If
 93
    8>
 94
    <html>
 95
    <head>
    <title>Home Page</title>
 96
 97
    <meta http-equiv="Content-Type" content="text/html; charset=iso-8859-1">
 98
    </head>
 99
    <body bgcolor="#<%=(EP bgcolor)%>"
 00
        text="#<%=EP text%>"
        link="#<%=EP link%>"
 01
        vlink="#<%=EP vlink%>"
 02
        alink="#<%=EP alink%>"
 03
 04
        leftmargin="3"
        topmargin="0"
 0.5
        marginwidth="0"
 06
        marginheight="0"
 07
        background="../../<%=(EP_bgImg)%>">
 08
    <!--#include file="../../banner.asp" -->
 09
 10
    " cellspacing="0"
 11
    ">
 12
      13
        ">
 14
 15
            16
               <div align="center"><font face="sans-serif" size="2">Welcome to the
 17
                 <%=(rsOwnerInfo.Fields.Item("EP clientBizName").Value)%> website!</font></div>
 18
             19
            20
 21
            22
             <hr color="#<%=EP bordercolor%>">
 23
 24
             25
 26
            <font face="sans-serif" size="2"><%=(greetStrJoin)%></font>
 27
 28
            29
            30
             31
            If ((rsEP_Pages.Fields.Item("epak_coupon").Value) = "True" AND NOT couponExpired) Then
 32
 33
 34
               <hr color="#<%=EP bordercolor%>">
               -<8
 35
            End If
 36
🖟 37 🕻
 :\EPack Startup Files\templates\1\home.asp: 2/3
```

```
138
              139
            140
            141
              142
                <div align="center">
143
            If ((rsEP_Pages.Fields.Item("epak_coupon").Value) = "True" AND writeCoupon) Then
144
145
146
                  <a href="coupon.asp"><font face="sans-serif" size="2"><b>Web Coupon!!</b></font>
    <br>
147
                  <img src="../../images/misc/coupon.gif" border="0"></a>
148
L49
            End If
L50
            용>
151
                </div>
:52
              .53
            .54
            :55
              156
                <hr color="#<%=EP bordercolor%>">
.57
              .58
            :59
            .60
              >
61
                <div align="center"><font face="Arial, Helvetica, sans-serif" size="1">Copyright
.62
                  ©2002 Deanne & Wayne & Co. All rights reserved. <br>
.63
                  No portion of this publication may be reproduced in any form<br>
64
                  or by any means without written permission of Deanne & amp; Wayne
65
                  & Co.<br>
66
                  All trademarks and registered trademarks are the sole property of
67
                  their respective owners. <br>
68
                  Please send questions or comments regarding this site to the <a href="mailto:epa
    ck@casualplus.com?subject=Inquiry%20from%20QCA%20Customer">webmaster</a>.<br>
69
                  <br>
70
                  Website Production by<br>
71
                  <object classid="clsid:D27CDB6E-AE6D-11cf-96B8-444553540000" codebase="http://do</pre>
    wnload.macromedia.com/pub/shockwave/cabs/flash/swflash.cab#version=4,0,2,0" width="88" height=
    "65">
72
                    <param name="movie" value="../../images/d&wlogo.swf">
73
                    <param name=quality value=high>
74
                    <embed src="../../images/d&wlogo.swf" quality=high pluginspage="http://www.mac</pre>
    romedia.com/shockwave/download/index.cgi?Pl Prod Version=ShockwaveFlash" type="application/x-s
    hockwave-flash" width="88" height="65">
                    </embed>
75
76
                  </object><br>
77
                  E-Pack Copyright ©2002 D&W Multimedia</font></div>
78
              79
            80
          81
        82
      83
    84
    </body>
85
    </html>
8:6
    <%
87
    rsOwnerInfo.Close()
88
    . ક >
89
    < 8
90
    rsCouponInfo.Close()
91
    육>
92
   ..<%
93
    rsGreeting.Close()
94 %>
95
    <୫
96
    rsEP Pages.Close()
97
98:
```

```
<%@LANGUAGE="VBSCRIPT"%>
2
   <html>
3
   <head>
   <title>Welcome to the <%=Application("epak_bizName")%> website!</title>
   <meta http-equiv="Content-Type" content="text/html; charset=iso-8859-1">
   <link rel="icon" href="../../favicon.ico">
   <LINK REL="SHORTCUT ICON" HREF="../../favicon.ico">
   </head>
9
   <frameset cols="155,*" rows="*" border="0" framespacing="0" frameborder="NO">
10
     <frame name="epak_menu" noresize src="menu.asp">
      <frame name="epak_main" src="home.asp">
11
12
   </frameset>
13
   <noframes>
L4
   <body bgcolor="#FFFFFF" text="#000000">
5.5
   </body>
.6
   </noframes>
   </html>
.7
.8
```

```
<%@LANGUAGE="VBSCRIPT"%>
   <!--#include file="../../Connections/dbEPakRecords.asp" -->
3
   <!--#include file="../../Connections/dbEPakLibs.asp" -->
5
   set rsEPakFAQ = Server.CreateObject("ADODB.Recordset")
   rsEPakFAQ.ActiveConnection = MM dbEPakRecords STRING
   rsEPakFAQ.Source = "SELECT * FROM FAQ"
   rsEPakFAQ.CursorType = 0
9
   rsEPakFAQ.CursorLocation = 2
10
   rsEPakFAQ.LockType = 3
11
   rsEPakFAQ.Open()
12
   rsEPakFAQ numRows = 0
13
14
   < 8
15
   set rsFAQCats = Server.CreateObject("ADODB.Recordset")
   rsFAQCats.ActiveConnection = MM_dbEPakRecords_STRING
16
17
   rsFAQCats.Source = "SELECT * FROM FAQCats"
18
   rsFAQCats.CursorType = 0
19
   rsFAQCats.CursorLocation = 2
20
   rsFAQCats.LockType = 3
21
   rsFAQCats.Open()
22
   rsFAQCats numRows = 0
23
24
   <୫
25
   set rsTitleText = Server.CreateObject("ADODB.Recordset")
   rsTitleText.ActiveConnection = MM dbEPakLibs STRING
27
   rsTitleText.Source = "SELECT * FROM titleText"
28
   rsTitleText.CursorType = 0
29
   rsTitleText.CursorLocation = 2
30
   rsTitleText.LockType = 3
31
   rsTitleText.Open()
32
   rsTitleText_numRows = 0
33
   <!--#include file="../../global.asp" -->
35
   <html>
36
   <head>
37
   <title>Frequently Asked Questions</title>
   <meta http-equiv="Content-Type" content="text/html; charset=iso-8859-1">
39
   </head>
40
   <body bgproperties=fixed bgcolor="#<%=(EP bgcolor)%>"
41
       text="#<%=EP_text%>"
42
       link="#<%=EP_link%>"
43
       vlink="#<%=EP_vlink%>"
44
       alink="#<%=EP alink%>"
45
       leftmargin="3"
46
       topmargin="0"
47
       marginwidth="0"
       marginheight="0"
48
49
       background="../../<%=(EP bgImg)%>">
   <!--#include file="../../banner.asp" -->
50
51
   <hr>>
52
    <center>
53
     " cellspacing=
    "0">
54
       55
         ">
56
57
58
               59
                 < %
60
                   'check to see which Title Text file is selected
61
                  cycleDone = false
                  Dim titleTextFile
62
63
64
                  While (NOT rsTitleText.EOF)
65
66
                      If (rsTitleText.Fields.Item("EP isSelected").Value = "True") Then
67
                          titleTextFile = rsTitleText.Fields.Item("EP titleTextFile").Value
```

:\EPack Startup Files\templates\1\faq.asp: 1/4

```
69
                          rsTitleText.MoveNext
70
                  Wend
71
                  %>
72
                <object classid="clsid:D27CDB6E-AE6D-11cf-96B8-444553540000" codebase="http://do</pre>
   wnload.macromedia.com/pub/shockwave/cabs/flash/swflash.cab#version=4,0,2,0" width="480" height
   ="40">
73
                  <param name="movie" value="../../banners/titleText/<%=(titleTextFile)%>?txt=<P</pre>
    ALIGN='CENTER'><FONT COLOR='#<%=EP text%>'>Frequently Asked Questions</font>">
74
                 <param name=wmode value=transparent>
75
                  <param name=quality value=high>
76
                  <embed src="../../banners/titleText/<%=(titleTextFile)%>?txt=<P ALIGN='CENTER'</pre>
   ><FONT COLOR='#<%=EP text%>'>Frequently Asked Questions</FONT></P>" quality=high pluginspage="
   http://www.macromedia.com/shockwave/download/index.cgi?Pl_Prod Version=ShockwaveFlash" type="a
   pplication/x-shockwave-flash" width="480" height="40">
77
                  </embed>
78
                </object> 
79
             80
             81
               82
                <hr color="#<%=EP bordercolor%>">
83
               84
85
             86
               87
                <div align="center"><font face="sans-serif" size="2">If you have
                  any questions about our business, website or products, <br>
88
89
                  please check this FAQ database. anbsp; anbsp; If you cannot find
90
                  an answer<br>
                  to what you're looking for, feel free to send to us your question<br>
91
92
                  via our <a href="inquiries.asp">Questions &amp; Comments</a> page.</font></div
93
               94
             95
             96
               97
                 <hr color="#<%=EP bordercolor%>">
98
               99
             00
             01
               "><font face="sans-serif" size="2" color="#<%=(EP
    bgcolor) %>"><b>&nbsp; Frequently
02
                Asked Questions:</b></font>
03
             04
             05
               06
07
               If (NOT rsFAQCats.EOF) Then
08
   Dim Repeat2 numRows
09
   rsFAQCats.MoveFirst
10
   While (not rsFAQCats.EOF)
11
12
                <br>
                <font face="sans-serif" size="2"><b>&nbsp;&nbsp;&nbsp;<bersFAQCats.Fields.</pre>
13
   Item("EPak FAQCatName").Value%><br>
14
                <hr>>
15
                </b></font>
16
                < %
17
       rsEPakFAQ.MoveFirst
18
       While (NOT rsEPakFAQ.EOF)
19
20
21
           If (rsEPakFAQ.Fields.Item("FAQ_Category").Value = rsFAQCats.Fields.Item("EPak_FAQCatNa")
   me"). Value) Then
22
           %>
23
                24
                  25
                       
26
                    <a href="#<%=(rsEPakFAQ.Fields.Item("ID").Value)%>"><font face="sans-ser"
   if" size="2"><%=(rsEPakFAQ.Fields.Item("FAQ_Question").Value)%></font></a>
```

:\EPack Startup Files\templat s\1\faq.asp: 2/4

```
1.27
                   L28
                   129
                     <font face="Arial, Helvetica, sans-serif" size="1">&nbsp;</font>
130
131
                 132
                 <୫
133
           End If
134
           8>
L35
         Repeat2__index=Repeat2__index+1
136
137
         Repeat2 numRows=Repeat2 numRows-1
'.38
         rsEPakFAQ.MoveNext()
.39
        Wend
.40
        용>
.41
.42
    rsFAQCats.MoveNext
.43
    Wend
.44
       End If
.45
.46
                 <br>
.47
                   
.48
             .49
             "><font face="sans-serif" size="2" color="#<%=(EP
50
    bgcolor) %>"><b>&nbsp; Frequent
51
                Answers:</b></font>
             52
53
             54
               55
                < 8
56
                If (NOT rsFAQCats.EOF) Then
57
    rsFAQCats.MoveFirst
58
    While (not rsFAQCats.EOF)
59
60
                 <font face="sans-serif" size=2><b><br>
                       <%=rsFAQCats.Fields.Item("EPak_FAQCatName").Value%><br>
61
62
                </b></font>
63
                < %
64
    rsEPakFAQ.MoveFirst
    While (NOT rsEPakFAQ.EOF)
65
66
67
68
           If (rsEPakFAQ.Fields.Item("FAQ_Category").Value = rsFAQCats.Fields.Item("EPak FAQCatNa")
    me"). Value) Then
69
           용>
70
                <a name="<%=(rsEPakFAQ.Fields.Item("ID").Value)%>"></a>
71
                72
                  73
                         
74
                  75
                  76
                    <font face="sans-serif" size="2"><b>Q</b>:&nbsp;&nbsp;<i><%=(rsEPakFAQ.F
    ields.Item("FAQ Question").Value)%></i></font>
77
                  78
                  79
                    <b><font face="sans-serif" size="2">A</font></b><font face="sans-serif"
    size="2">:  <%=(rsEPakFAQ.Fields.Item("FAQ_Answer").Value)%></font>
80
                  81
                82
                <br>
33
                < %
84
       End If
85
36
                < %
37
     Repeatl__index=Repeatl__index+1
Repeatl__numRows=Repeatl__numRows-1
88
39
     rsEPakFAQ.MoveNext()
90
   Wend
91
    용>
:\EPack Startup Fil s\templates\1\faq.asp: 3/4
```

tento .

```
192
:93
    rsFAQCats.MoveNext
.94
    Wend
.95
196
       End If
97ء
    %>
∵98
               .99
             200
             201
               202
                <hr color="#<%=EP_bordercolor%>">
203
               104
             . 
:05
:06
               :07
                <div align="center"> </div>
:08
               :09
             :10
           111
         12
       13
      14
    </center>
15
    </body>
16
    </html>
17
    < %
18
    rsEPakFAQ.Close()
19
    ક>
20
    <8
21
    rsFAQCats.Close()
22
    %>
23
    < 8
24
    rsTitleText.Close()
25
    %>
26
```

```
<%@LANGUAGE="VBSCRIPT"%>
1
   <!--#include file="../../Connections/dbEPakObjectProps.asp" -->
2
   <!--#include file="../../Connections/dbEPakRecords.asp" -->
3
 4
   < ¾
   set rsCouponInfo = Server.CreateObject("ADODB.Recordset")
 5
   rsCouponInfo.ActiveConnection = MM connEPObjectProps STRING
   rsCouponInfo.Source = "SELECT * FROM coupon"
 7
 8
   rsCouponInfo.CursorType = 0
9
   rsCouponInfo.CursorLocation = 2
10
   rsCouponInfo.LockType = 3
11
   rsCouponInfo.Open()
12
   rsCouponInfo numRows = 0
13
   용>
14
   <8
15
   set rsAdminInfo = Server.CreateObject("ADODB.Recordset")
   rsAdminInfo.ActiveConnection = MM_dbEPakRecords_STRING
16
   rsAdminInfo.Source = "SELECT * FROM adminInfo"
17
   rsAdminInfo.CursorType = 0
18
19
   rsAdminInfo.CursorLocation = 2
20
   rsAdminInfo.LockType = 3
21
   rsAdminInfo.Open()
22
   rsAdminInfo numRows = 0
23
   ક્ષ>
24
   <ક
25
   Dim Repeatl numRows
26
   Repeat1 numRows = -1
    Dim Repeat1 index
27
    Repeat1__in\overline{de}x = 0
28
29
    rsCouponInfo numRows = rsCouponInfo numRows + Repeat1 numRows
30
   융>
   <!--#include file="../../global.asp" -->
31
32
    <title>Web Coupon!</title>
    <meta http-equiv="Content-Type" content="text/html; charset=iso-8859-1">
33
    </head>
34
            bgcolor="#<%=EP bgcolor%>"
35
    <body
        text="#<%=EP text%>"
36
37
        link="#<%=EP link%>"
        alink="#<%=EP alink%>"
38
39
        vlink="#<%=EP_vlink%>"
        leftmargin="15"
40
41
       background="../../<%=(EP_bgImg)%>"
        topmargin="0">
42
    <!--#include file="../../banner.asp" -->
43
44
    <br>
    " bgcolor="#<%=EP bgcolor%>" cellpadding="0
45
    " cellspacing="0" align="center" width="530">
46
      47
        48
49
           <font face="sans-serif" size="2"><b>Complimentary
50
               Web Coupon(s)!</b></font>
51
           52
         53
54
         < %
        dateAr = Split(Date, "/")
55
    While ((Repeat1 numRows <> 0) AND (NOT rsCouponInfo.EOF))
56
57
58
        couponExpired = false
59
60
        expireDate = rsCouponInfo.Fields.Item("coupon expDate").Value
61
        expireArray = Split(expireDate, "/")
62
                            ' currentDate = server's current date (MM/DD/YY)
63
        currentDate = Date
        currentArray = Split(currentDate, "/")
64
65
        ' compare values, first year, then month, then day.
        ' if current values are greater than expire values, then respond
66
        ' with a CANCEL variable
67
```

```
69
       if (Int(currentArray(2)) > Int(expireArray(2))) Then
70
           couponExpired = true
71
       End If
72
73
       If (Int(currentArray(0)) > Int(expireArray(0))) Then
74
           couponExpired = true
75
       End If
76
77
       If (Int(currentArray(1)) > Int(expireArray(1))) Then
78
           couponExpired = true
79
       End If
80
81
   If (NOT couponExpired) Then
82
         <table bordercolor="#000000" style="border-style: dashed;" bgcolor="#FFFFFF" align="cent
83
   er">
84
           85
             86
               87
                 88
                   89
                     <%
90
                              couponFile = rsCouponInfo.Fields.Item("coupon File").Value
91
92
93
   subCaption_SPLIT = Split(rsCouponInfo.Fields.Item("coupon subCaption").Value, "%")
94
   subCaption \overline{1} = Join(subCaption SPLIT, "%25")
95
96
   priceValue1 SPLIT = Split(rsCouponInfo.Fields.Item("coupon priceValue").Value, "%")
97
   priceValue1 = Join(priceValue1 SPLIT, "%25")
98
   subCaption2 SPLIT = Split(rsCouponInfo.Fields.Item("coupon_subCaption2").Value, "%")
99
.00
   subCaption2 = Join(subCaption2 SPLIT, "%25")
01
02
   priceValue2 SPLIT = Split(rsCouponInfo.Fields.Item("coupon_priceValue2").Value, "%")
03
   priceValue2 = Join(priceValue2 SPLIT, "%25")
04
05
   notesValue SPLIT = Split(rsCouponInfo.Fields.Item("coupon notes").Value, "%")
   notesValue = Join(notesValue SPLIT, "%25")
06
07
   %>
08
                     <object classid="clsid:D27CDB6E-AE6D-11cf-96B8-444553540000" codebase="http:</pre>
   //download.macromedia.com/pub/shockwave/cabs/flash/swflash.cab#version=5,0,0,0" width="400" he
   ight="190" align="left">
09
                       <param name=movie value="../../coupons/<%=couponFile%>?subCaption=<%=(subC</pre>
   aption1) %>&priceValue=<%=(priceValue1) %>&notes=<%=(notesValue) %>&subCaption2=<%=(subCaption2) %
   >&priceValue2=<%=(priceValue2)%>">
10
                       <param name=quality value=high>
11
                       <embed src="../../coupons/<%=couponFile%>?subCaption=<%=(subCaption1)%>&pr
   iceValue=<%=(priceValue1) %>&notes=<%=(notesValue) %>&subCaption2=<%=(subCaption2) %>&priceValue2
   =<%=(priceValue2)%>" quality=high pluginspage="http://www.macromedia.com/shockwave/download/in
   dex.cgi?P1 Prod Version=ShockwaveFlash" type="application/x-shockwave-flash" width="400" heigh
   t="190" align="left">
12
                       </embed>
13
                     </object> 
14
                   15
16
                       ">
17
                        >
18
                          <div align="center"><img src="../../images/logo sm.gif" width="100" he</pre>
   ight="58"></div>
19
                         20
                       21
                       22
                         <font color="#000000" face="sans-serif" size="1"><%=(rsAdminInfo.Fie
   lds.Item("EP_clientBizName").Value)%><br>
23
                          <%=(rsAdminInfo.Fields.Item("EP clientAddress1").Value)%><br>
24
                          <%=(rsAdminInfo.Fields.Item("EP clientCity").Value)%>,&nbsp;<%=(rsAdmi</pre>
   nInfo.Fields.Item("EP_clientState").Value) %>    <%=(rsAdminInfo.Fields.Item("EP client
   ZIP").Value)%><br>
```

```
125
                          <%=(rsAdminInfo.Fields.Item("EP clientPhonel").Value)%> </font> 
126
                      127
                    128
                  129
                130
                131
                  132
133
                      134
                        <font size="1" face="sans-serif" color="#000000">Coupon
135
                          expires on <%=(rsCouponInfo.Fields.Item("coupon_expDate").Value)%>. Li
    mit one coupon per customer. Not valid
L36
                          with any other offer.</font>
L37
                      138
                    .39
                  .40
                .41
               142
             143
           .44
         .45
         <BR>
.46
         <ક
.47
         End If
.48
      Repeat1__index=Repeat1__index+1
Repeat1__numRows=Repeat1__numRows-1
.49
50
      rsCouponInfo.MoveNext()
.51
    Wend
52
    용>
         <div align="center"><font face="Arial, Helvetica, sans-serif" size="2">
53
 54
           To redeem your web coupon(s), simply print them out and bring them to
 55
           our store!<br>
           </font><font face="Arial, Helvetica, sans-serif">&nbsp; </font> </div>
 56
 57
       58
      59
      60
        >
         <div align="center"><font face="sans-serif" size="2"><img src="../../images/misc/printer</pre>
 61
    .gif" width="20" height="18">To
           print these coupon(s), make sure your printer is on, then <a href="javascript:print();
 62
    ">click
 63
           here</a>.<img src="../../images/misc/printer.gif" width="20" height="18"></font></div>
       64
 65
      66
    67
    </body>
 68
    </html>
 69
    < 8
 70
    rsCouponInfo.Close()
 71
    %>
 72
    < %
 73
    rsAdminInfo.Close()
74
    융>
```

-11

75

```
<%@LANGUAGE="VBSCRIPT"%>
   <!--#include file="../../Connections/dbEPakRecords.asp" -->
   <!--#include file="../../Connections/dbEPakLibs.asp" -->
3
   < 8
   set rsAdminInfo = Server.CreateObject("ADODB.Recordset")
5
   rsAdminInfo.ActiveConnection = MM dbEPakRecords STRING
   rsAdminInfo.Source = "SELECT * FROM adminInfo"
   rsAdminInfo.CursorType = 0
   rsAdminInfo.CursorLocation = 2
10
   rsAdminInfo.LockType = 3
11
   rsAdminInfo.Open()
12
   rsAdminInfo_numRows = 0
13
   용>
14
   < %
   set rsTitleText = Server.CreateObject("ADODB.Recordset")
15
16
   rsTitleText.ActiveConnection = MM dbEPakLibs STRING
   rsTitleText.Source = "SELECT * FROM titleText"
17
18
   rsTitleText.CursorType = 0
1.9
   rsTitleText.CursorLocation = 2
20
   rsTitleText.LockType = 3
21
   rsTitleText.Open()
22
   rsTitleText numRows = 0
23
24
   <!--#include file="../../global.asp" -->
25
   <html>
26
   <head>
27
   <title>Contact Us</title>
28
   <meta http-equiv="Content-Type" content="text/html; charset=iso-8859-1">
29
30
   <body bgcolor="#<%=(EP bgcolor)%>"
31
       text="#<%=EP text%>"
       link="#<%=EP link%>"
32
33
       vlink="#<%=EP vlink%>"
       alink="#<%=EP alink%>"
34
       leftmargin="3"
35
36
       topmargin="0"
37
       marginwidth="0"
38
       marginheight="0"
39
       background="../../<%=(EP bgImg)%>">
40
   <!--#include file="../../banner.asp" -->
41
    " cellspacing="0
43
     44
         ">
45
46
47
             48
49
                   'check to see which Title Text file is selected
                   cycleDone = false
50
51
                   Dim titleTextFile
52
                   While (NOT rsTitleText.EOF)
53
54
55
                       If (rsTitleText.Fields.Item("EP isSelected").Value = "True") Then
56
                           titleTextFile = rsTitleText.Fields.Item("EP titleTextFile").Value
57
                       End If
58
                           rsTitleText.MoveNext
59
                   Wend
60
                   용>
               <object classid="clsid:D27CDB6E-AE6D-11cf-96B8-444553540000" codebase="http://down</pre>
61
    load.macromedia.com/pub/shockwave/cabs/flash/swflash.cab#version=4,0,2,0" width="480" height="
                 <param name="movie" value="../../banners/titleText/<%=(titleTextFile)%>?txt=<P A</pre>
62
    LIGN='CENTER'><FONT COLOR='#<%=EP text%>'>Contact Us</FONT></P>">
                  <param name=wmode value=transparent>
63
64
                <param name=quality value=high>
                 <embed src="../../banners/titleText/<%=(titleTextFile)%>?txt=<P ALIGN='CENTER'>
\EPack Startup Files\templates\1\contact.asp: 1/3
```

```
FONT COLOR='#<%=EP text%>'>Contact Us</FONT></P>" quality=high pluginspage="http://www.macrome
   dia.com/shockwave/download/index.cgi?P1_Prod_Version=ShockwaveFlash" type="application/x-shock
   wave-flash" width="480" height="40">
                </embed>
67
              </object> 
68
           69
           70
71
              <hr color="#<%=EP bordercolor%>">
72
            73
74
           75
            76
              <div align="center">
77
                78
                  79
                      <div align="center"><img src="../../images/logo_med.gif" width="139" heigh</pre>
   t="80"></div>
81
                    82
                    <font face="sans-serif" size="2">Need a map?<br>
83
                      <a href="map.asp">Click here for one!</a></font>
                  84
85
                  86
                    87
                      <div align="center"><font face="sans-serif" size="2"><%=(rsAdminInfo.Field</pre>
   s.Item("EP clientBizName").Value)%><br>
88
                       <%=(rsAdminInfo.Fields.Item("EP_clientAddress1").Value)%><br>
89
                       <%=(rsAdminInfo.Fields.Item("EP_clientCity").Value)%>, <%=(rsAdminInfo.F</pre>
   ields.Item("EP clientState").Value)%>  <%=(rsAdminInfo.Fields.Item("EP_clientZIP").V
   alue) %></font></div>
90
                    <font face="sans-serif" size="2">Telephone:&nbsp;&nbsp;<%=(rsAdminInfo.F
91
   ields.Item("EP clientPhonel").Value)%><br>
92
                      <% If (rsAdminInfo.Fields.Item("EP clientPhone2").Value <> "") Then %>
93
                     Alternate:     <%=(rsAdminInfo.Fields.Item("EP clientPhone2").Value
   ) %><br>
94
                      <% End If %>
95
                      Fax:     <%=(rsAdminInfo.Fields.Item("EP clientFax1").Value) %><br>
96
                      E-Mail:  <a href="mailto:<%=(rsAdminInfo.Fields.Item("EP clientE
   mail1").Value)%>"><%=(rsAdminInfo.Fields.Item("EP_clientEmail1").Value)%></a></font>
97
                  98
                  99
                    00
                      <div align="center"><br>
01
                       <a href="inquiries.asp"><font face="sans-serif" size="2">You
02
                       can also send us your inquiries by clicking here.</font></a><br/>br>
0.3
                      </div>
04
                    05
                  06
07
              </div>
08
            09
           10
           11
            12
              <hr color="#<%=EP bordercolor%>">
13
            14
15
           16
17
              <div align="center"> </div>
18
            19
           20
         21
       22
     </body>
:\EPack Startup Files\templates\1\contact.asp: 2/3
```

```
<%@LANGUAGE="VBSCRIPT"%>
   <!--#include file="../../Connections/dbEPakRecords.asp" -->
   <!--#include file="../../Connections/dbEPakLibs.asp" -->
3
4
   <ક
   If (Request.Form("checkout") <> "") Then
5
6
        Response.Redirect("processInfo.asp")
7
8
9
   End If
10
11
   ક>
12
   <୫
13 set rsProducts = Server.CreateObject("ADODB.Recordset")
14 rsProducts.ActiveConnection = MM_dbEPakRecords_STRING
15 rsProducts.Source = "SELECT ID, EP_Pname, EP_Pprice, EP_PshipPrice FROM EP_catalog"
16 rsProducts.CursorType = 0
   rsProducts.CursorLocation = 2
17
18
   rsProducts.LockType = 3
19
   rsProducts.Open()
20 rsProducts_numRows = 0
21
22
   < %
   set rsAdminInfo = Server.CreateObject("ADODB.Recordset")
23
   rsAdminInfo.ActiveConnection = MM_dbEPakRecords_STRING
   rsAdminInfo.Source = "SELECT EP clientBizName, EP_clientAddress1, EP_clientCity, EP_clientStat
    e, EP_clientZIP, EP_clientPhone1, EP_clientEmail1 FROM adminInfo"
    rsAdminInfo.CursorType = 0
27
    rsAdminInfo.CursorLocation = 2
    rsAdminInfo.LockType = 3
    rsAdminInfo.Open()
   rsAdminInfo numRows = 0
31
   set rsTitleText = Server.CreateObject("ADODB.Recordset")
   rsTitleText.ActiveConnection = MM dbEPakLibs_STRING
35 rsTitleText.Source = "SELECT * FROM titleText"
36 rsTitleText.CursorType = 0
   rsTitleText.CursorLocation = 2
38 rsTitleText.LockType = 3
   rsTitleText.Open()
   rsTitleText numRows = 0
40
41
    융>
42
    <ક
             ' cart qty is numeric field
43
44
             ' prod id is ID field (hidden)
    If (Session("Q\overline{T}Y") \iff "" AND Session("ID") \iff "") Then
45
        itemsStr = Session("ID")
46
        qtyStr = Session("QTY")
47
48
        splitItems = Split(itemsStr, "|")
49
50
        splitQTY = Split(qtyStr, "|")
51
    End If
52
53
    If (Session("QTY") = "") Then
54
55
        noItems = true
    End If
56
57
58
    Dim totalCost
59
    <!--#include file="../../global.asp" -->
60
61
    <html>
62
    <head>
    <title>Checkout</title>
63
    <meta http-equiv="Content-Type" content="text/html; charset=iso-8859-1">
64
65
    <body bgcolor="#<%=(EP_bgcolor)%>"
66
         text="#<%=EP text%>"
67
         link="#<%=EP_link%>"
:\EPack Startup Files\templates\1\checkout.asp: 1/4
```

```
69
       vlink="#<%=EP_vlink%>"
70
       alink="#<%=EP alink%>"
71
       leftmargin="3"
72
       topmargin="0"
73
       marginwidth="0"
74
       marginheight="0"
75
       background="../../<%=(EP bgImg)%>">
76
   <!--#include file="../../banner.asp" -->
77
   " cellspacing="0
78
79
     80
       81
         ">
82
83
             84
85
                   check to see which Title Text file is selected
86
                  cvcleDone = false
87
                  Dim titleTextFile
88
89
                  While (NOT rsTitleText.EOF)
90
91
                      If (rsTitleText.Fields.Item("EP isSelected").Value = "True") Then
92
                          titleTextFile = rsTitleText.Fields.Item("EP titleTextFile").Value
93
                      End If
94
                          rsTitleText.MoveNext
95
                  Wend
96
                  ક>
              <object classid="clsid:D27CDB6E-AE6D-11cf-96B8-444553540000" codebase="http://down</pre>
   load.macromedia.com/pub/shockwave/cabs/flash/swflash.cab#version=4,0,2,0" width="480" height="
   40">
                <param name="movie" value="../../banners/titleText/<%=(titleTextFile)%>?txt=<P A</pre>
98
   LIGN='CENTER'><FONT COLOR='#<%=EP text%>'>Checkout</FONT></P>">
99
                <param name=wmode value=transparent>
00
                <param name=quality value=high>
01
                <embed src="../../banners/titleText/<%=(titleTextFile)%>?txt=<P ALIGN='CENTER'>
   FONT COLOR='#<%=EP_text%>'>Checkout</FONT></P>" quality=high pluginspage="http://www.macromedi
   a.com/shockwave/download/index.cgi?P1 Prod Version=ShockwaveFlash" type="application/x-shockwa
   ve-flash" width="480" height="40">
02
                </embed>
03
               </object> 
04
           05
           06
             >
07
              <hr color="#<%=EP bordercolor%>">
08
             09
10
           11
             12
              <div align="center"><font face="sans-serif" size="2">Below is a list
13
                of items in your Shopping Cart. <br>
14
                < ४
15
                If (Request("checkout") <> "") Then
16
                융>
17
                <a href="javascript:history.go(-3)">Click here to go back and continue
18
                shopping.</a>
19
                < %
20
                End If
21
                용>
22
                < 8
                If (Request("checkoutLong") <> "") Then
23
24
25
                <a href="javascript:history.go(-4)">Click here to go back and continue
26
                shopping.</a>
27
                < %
28
                End If
29
                용>
                <br>
```

:\EPack Startup Files\templates\1\checkout.asp: 2/4

```
131
                 
132
                < %
                If (Session("ID") <> "") Then
.33
134
                용>
L35
                </font></div>
            136
           137
138
           ι39
140
              <div align="center">
                41
142
                  .43
                   <b><font face="sans-serif" size="2">Quantity</font></b>
                   <b><font face="sans-serif" size="2">&nbsp;&nbsp;Name
.44
.45
                     of Item(s)</font></b>
.46
                   <b><font face="sans-serif" size="2">Price</font></b>
                   <font face="sans-serif" size="2"><b>S&amp;H</b></font>
.47
                  .48
.49
                  <8
.50
    If (NOT noItems) Then
.51
52
    i=0
53
    While (i <= Ubound(splitItems))
54
55
56
                   57
                     <div align="center"><font face="sans-serif" size="2"><%=splitQTY(i)%></fon</pre>
    t></div>
58
                   59
                   <ક
 60
           rsProducts.MoveFirst()
           While (NOT rsProducts.EOF)
61
 62
63
 64
              If (CStr(splitItems(i)) = CStr(rsProducts.Fields.Item("ID").Value)) Then
 65
 66
              itemCost = rsProducts.Fields.Item("EP Pprice").Value * Int(splitQTY(i))
 67
              shipCost = rsProducts.Fields.Item("EP PshipPrice").Value * Int(splitQTY(i))
 68
              totalCost = totalCost + shipCost + itemCost
69
              %>
70
                   <font face="sans-serif" size="2">&nbsp;&nbsp;&nbsp;&nbsp;<%=</pre>
    (rsProducts.Fields.Item("EP Pname").Value)%></font>
71
                   <font face="sans-serif" size="2"><%=FormatCurrency(itemCost)</pre>
    %></font>
72
                   <% If (shipCost <> "") Then
73
    용>
74
                   <font size="2" face="sans-serif"><%=FormatCurrency(shipCost)</pre>
    %></font>
75
                   <% End If
76
    육>
77
                   <ક
78
              End If
79
              %>
 30
                   <%
 31
           rsProducts.MoveNext()
 32
           Wend
 83
           %>
 84
                  85
                  <୫
 86
    i=i+1
 37
    Wend
 38
 39
    End If
 90
 €1
 32
                33
                  94
                     <div align="right"><b><font face="sans-serif" size="2">Grand
 \EPack Startup Files\templates\1\checkout.asp: 3/4
```

```
96
                         Total:</font></b></div>
97
                     98
99
                       <div align="right"><b><font face="sans-serif" size="2"><%=FormatCurrency(t</pre>
   otalCost) %></font></b></div>
00
                     01
                   02
                 03
                 <form name="form1" method="post" action="">
                   <input type="submit" name="Submit" value="Click here to process your order." s</pre>
04
   tyle="
                         border-color: #<%=EP_bordercolor%>;
05
                         border-style: groove;
06
                         border-width: 3px;
07
0.8
                         background-color: #<%=EP bgcolor%>;
                         color: #<%=EP text%>;
09
                         cursor: hand; ">
10
                   <input type="hidden" name="checkout" value="true">
11
                 </form>
12
                 < ४
13
                 Else
14
15
                 육>
16
                 <BR>
17
                 Your shopping cart is empty.
18
                 <୫
19
                 End If
20
                 융>
                 <br>
21
22
               </div>
             23
           24
25
           >
26
27
               <hr color="#<%=EP bordercolor%>">
             38
29
           30
           >
31
32
               <div align="center"> </div>
33
34
           35
         36
       37
      38
   39
   </body>
10
   </html>
11
12
   rsProducts.Close()
13
   ક>
14
   < %
15
   rsAdminInfo.Close()
16
   %>
17
   < ₹
18
   rsTitleText.Close()
19
50
```

```
<%@LANGUAGE="VBSCRIPT"%>
   <!--#include file="../../Connections/dbEPakRecords.asp" -->
   <!--#include file="../../Connections/dbEPakObjectProps.asp" -->
   <!--#include file="../../Connections/dbEPakAppearance.asp" -->
   <!--#include file="../../Connections/dbEPakLibs.asp" -->
 6
   <ક
   set rsProductInfo = Server.CreateObject("ADODB.Recordset")
   rsProductInfo.ActiveConnection = MM_dbEPakRecords_STRING
   rsProductInfo.Source = "SELECT * FROM EP catalog"
10 rsProductInfo.CursorType = 0
   rsProductInfo.CursorLocation = 2
11
12
   rsProductInfo.LockType = 3
13 rsProductInfo.Open()
14 rsProductInfo_numRows = 0
15 %>
16
   <ક
17 set rsCatFields = Server.CreateObject("ADODB.Recordset")
18 rsCatFields.ActiveConnection = MM connEPObjectProps STRING
19 rsCatFields.Source = "SELECT * FROM catalog_booleans"
20 rsCatFields.CursorType = 0
21 rsCatFields.CursorLocation = 2
22 rsCatFields.LockType = 3
23 rsCatFields.Open()
24 rsCatFields_numRows = 0
25 %>
26 <%
27 set rsIsCartOn = Server.CreateObject("ADODB.Recordset")
28 rsIsCartOn.ActiveConnection = MM_dbEPakAppearance_STRING
29 rsIsCartOn.Source = "SELECT EPak cart FROM pages"
30 rsIsCartOn.CursorType = 0
31 rsIsCartOn.CursorLocation = 2
32 rsIsCartOn.LockType = 3
33 rsIsCartOn.Open()
34 rsIsCartOn_numRows = 0
35 %>
36 < %
37
   set rsTitleText = Server.CreateObject("ADODB.Recordset")
38 rsTitleText.ActiveConnection = MM_dbEPakLibs_STRING
39 rsTitleText.Source = "SELECT * FROM titleText"
40 rsTitleText.CursorType = 0
41 rsTitleText.CursorLocation = 2
42
   rsTitleText.LockType = 3
43
   rsTitleText.Open()
44
    rsTitleText numRows = 0
45
    ક>
46
    < %
47
       *** Recordset Stats, Move To Record, and Go To Record: declare stats variables
48
49
    ' set the record count
    rsProductInfo_total = rsProductInfo.RecordCount
50
51
52
    ' set the number of rows displayed on this page
53
    If (rsProductInfo_numRows < 0) Then</pre>
54
      rsProductInfo_numRows = rsProductInfo_total
55
    Elseif (rsProductInfo_numRows = 0) Then
56
      rsProductInfo numRows = 1
57
    End If
58
59
    ' set the first and last displayed record
60
    rsProductInfo_first = 1
61
    rsProductInfo_last = rsProductInfo_first + rsProductInfo_numRows - 1
62
63
    ' if we have the correct record count, check the other stats
64
    If (rsProductInfo_total <> -1) Then
      If (rsProductInfo_first > rsProductInfo_total) Then rsProductInfo_first = rsProductInfo_tota
65
      If (rsProductInfo_last > rsProductInfo_total) Then rsProductInfo last = rsProductInfo_total
66
      If (rsProductInfo_numRows > rsProductInfo total) Then rsProductInfo numRows = rsProductInfo_
    total
:\EPack Startup Files\templates\1\catalogViewItem.asp: 1/7
```

Ballines of the State of the same

```
End If
69
   용>
70
    <୫
71
    ' *** Move To Record and Go To Record: declare variables
72
73
   Set MM rs
                 = rsProductInfo
74
   MM rsCount = rsProductInfo total
75
   MM size
                 = rsProductInfo_numRows
76 MM uniqueCol = "ID"
   MM_paramName = "ID"
77
   MM offset = 0
78
79
   MM atTotal = false
80
   MM paramIsDefined = false
81
    If (MM paramName <> "") Then
82
      MM_paramIsDefined = (Request.QueryString(MM paramName) <> "")
83
   End If
84
    용>
8.5
    < 8
86
    ' *** Move To Specific Record: handle detail parameter
87
88
    If (MM_paramIsDefined And MM_rsCount <> 0) Then
89
90
      ' get the value of the parameter
91
      param = Request.QueryString(MM_paramName)
92
93
      ' find the record with the unique column value equal to the parameter value
94
      MM 	ext{ offset} = 0
95
      Do While (Not MM_rs.EOF)
96
        If (Cstr(MM_rs.Fields.Item(MM uniqueCol).Value) = param) Then
97
          Exit Do
98
        End If
99
        MM offset = MM offset + 1
00
        MM_rs.MoveNext
01
02
03
      ' if not found, set the number of records and reset the cursor
04
      If (MM_rs.EOF) Then
05
        If (MM_rsCount < 0) Then MM rsCount = MM offset</pre>
        If (MM_size < 0 Or MM_size > MM_offset) Then MM_size = MM_offset
06
07
        MM 	ext{ offset} = 0
98
09
        ' reset the cursor to the beginning
10
        If (MM rs.CursorType > 0) Then
11
          MM rs.MoveFirst
12
        Else
13
          MM rs.Close
14
         MM_rs.Open
15
        End If
16
      End If
17
18
   End If
19
   8>
20
    ' *** Move To Record: if we dont know the record count, check the display range
21
22
   If (MM_rsCount = -1) Then
23
24
      ' walk to the end of the display range for this page
25
26
      i = MM offset
27
      While (Not MM_rs.EOF And (MM size < 0 Or i < MM offset + MM size))
38
       MM rs.MoveNext
29
        i = i + 1
30
     Wend
31
32
      ' if we walked off the end of the recordset, set MM rsCount and MM size
33
      If (MM_rs.EOF) Then
34
        MM_rsCount = i
35
        If (MM_size < 0 Or MM_size > MM_rsCount) Then MM_size = MM_rsCount
36
      End If
\EPack Startup Files\templates\1\catalogViewItem.asp: 2/7
```

Marie - 222/14 7 1/4 24

```
' if we walked off the end, set the offset based on page size
38
39
      If (MM rs.EOF And Not MM_paramIsDefined) Then
        If (MM_offset > MM_rsCount - MM_size Or MM_offset = -1) Then
40
          If ((MM_rsCount Mod MM_size) > 0) Then
41
42
            MM offset = MM_rsCount - (MM_rsCount Mod MM_size)
43
44
            MM offset = MM_rsCount - MM_size
45
          End If
46
        End If
47
      End If
48
49
      ' reset the cursor to the beginning
      If (MM_rs.CursorType > 0) Then
50
51
        MM_rs.MoveFirst
52
      Else
53
        MM_rs.Requery
54
      End If
55
      ' move the cursor to the selected record
56
57
      While (Not MM rs.EOF And i < MM_offset)
58
59
        MM rs.MoveNext
60
        i = i + 1
61
      Wend
    End If
62
63
    용>
64
65
    ' *** Move To Record: update recordset stats
66
67
    ' set the first and last displayed record
68 rsProductInfo_first = MM_offset + 1
69
    rsProductInfo last = MM offset + MM size
    If (MM rsCount <> -1) Then
70
      If (rsProductInfo first > MM rsCount) Then rsProductInfo first = MM_rsCount
71
      If (rsProductInfo last > MM rsCount) Then rsProductInfo last = MM rsCount
72
73
    End If
74
    ' set the boolean used by hide region to check if we are on the last record
75
76 MM_atTotal = (MM_rsCount <> -1 And MM_offset + MM_size >= MM rsCount)
77
    %>
    <!--#include file="../../global.asp" -->
78
79
   <ક
30
    switchColors = true
81
    fontColor = EP bgcolor
82
    backColor = EP text
83
84
    function swapColors()
85
            If (switchColors <> true) Then
36
                 switchColors = true
87
                 fontColor = EP bgcolor
                 backColor = EP text
88
39
                 switchColors = false
90
                 fontColor = EP text
91
                 backColor = EP bgcolor
92
93
            End If
94
    end function
95
96
97
    용>
98
    <html>
99
    <head>
    <title>Product Catalog</title>
0.0
    <meta http-equiv="Content-Type" content="text/html; charset=iso-8859-1">
01
02
    </head>
    <body bgproperties=fixed bgcolor="#<%=(EP_bgcolor)%>"
03
        text="#<%=EP_text%>"
04
        link="#<%=EP_link%>"
05
:\EPack Startup Files\templates\1\catalogViewItem.asp: 3/7
```

......

```
206
        vlink="#<%=EP vlink%>"
207
        alink="#<%=EP alink%>"
308
        leftmargin="3"
209
        topmargin="0"
?10
        marginwidth="0"
211
        marginheight="0"
?12
        background="../../<%=(EP_bgImg)%>">
13
    <!--#include file="../../banner.asp" -->
214
    " cellspacing="0"
215
    ">
116
      :17
        ">
:18
:19
.20
             21
               <₹
:22
                   'check to see which Title Text file is selected
23
                   cycleDone = false
24
                   Dim titleTextFile
25
                   While (NOT rsTitleText.EOF)
26
27
28
                       If (rsTitleText.Fields.Item("EP isSelected").Value = "True") Then
29
                           titleTextFile = rsTitleText.Fields.Item("EP titleTextFile").Value
30
                       End If
31
                           rsTitleText.MoveNext
32
                   Wend
33
                   용>
34
               <object classid="clsid:D27CDB6E-AE6D-11cf-96B8-444553540000" codebase="http://down</pre>
    load.macromedia.com/pub/shockwave/cabs/flash/swflash.cab#version=4,0,2,0" width="480" height="
    40">
35
                 <param name="movie" value="../../banners/titleText/<%=(titleTextFile)%>?txt=<P A</pre>
    LIGN='CENTER'><FONT COLOR='#<%=EP text%>'>Product Catalog</FONT></P>">
36
                 <param name=wmode value=transparent>
37
                 <param name=quality value=high>
38
                 <embed src="../../banners/titleText/<%=(titleTextFile)%>?txt=<P ALIGN='CENTER'>
    FONT COLOR='#<%=EP text%>'>Product Catalog</FONT></P>" quality=high pluginspage="http://www.ma
    cromedia.com/shockwave/download/index.cgi?P1_Prod Version=ShockwaveFlash" type="application/x-
    shockwave-flash" width="480" height="40">
39
                 </embed>
40
               </object> 
           41
42
           43
             44
               <hr color="#<%=EP_bordercolor%>">
45
             46
47
           48
             49
               <div align="center"><font face="sans-serif" size="2"><b><font size="3"><%=(rsProdu</pre>
    ctInfo.Fields.Item("EP Pname").Value)%></font></b></font></div>
50
             51
           52
           53
             <div align="center"><font face="sans-serif" size="2"><a href="javascript:history.b"</pre>
54
    ack()">Click
55
                 here to go back.</a></font></div>
56
             57
           58
           59
50
               <div align="center"><font face="sans-serif" size="2">
51
52
               If (rsCatFields.Fields.Item("EP_PboolFBIG").Value <> "False") Then
53
               유>
                 <IMG SRC="../../images/catalog/<%=(rsProductInfo.Fields.Item("EP_PbigFile").Valu</pre>
    e) %>">
\EPack Startup Files\templates\1\catalogViewItem.asp: 4/7
```

ا<u>تسطقها</u> و اوايوك مايوات أويو<u>ا</u>

The real absence.

```
< %
:65
              End If
:66
:67
              %>
:68
                <br>
:69
                </font>
270
                <table width="100%" cellpadding="0" cellspacing="0" bordercolor="<%=EP bordercol
   or%>">
271
272
    If (rsCatFields.Fields.Item("EP PboolSKU").Value <> "False") Then
273
     swapColors()
:74
:75
                  " valign="top">
:76
                    <font face="sans-serif" size="2" color="#<%=fontColor%>">SKU
    :</font>
:77
                    <font face="sans-serif" size="2" color="#<%=fontColor%>"><%=</pre>
    (rsProductInfo.Fields.Item("EP Psku").Value)%></font>
78
                  79
                  < %
:80
   End If
81
    윢>
82
    If (rsCatFields.Fields.Item("EP PboolPRC").Value <> "False") Then
83
84
     swapColors()
85
    ક>
86
87
                  " valign="top">
                    <font face="sans-serif" size="2" color="#<%=fontColor%>">Pri
88
    ce:</font>
                    <font face="sans-serif" size="2" color="#<%=fontColor%>"><%=</pre>
89
    FormatCurrency(rsProductInfo.Fields.Item("EP Pprice").Value)%></font>
90
                  91
                  < %
92
    End If
93
    융>
94
    If (rsCatFields.Fields.Item("EP PboolPRC2").Value <> "False") Then
95
96
     swapColors()
97
98
                  " valign="top">
99
                    <font face="sans-serif" size="2" color="#<%=fontColor%>">Com
00
    pare
01
                      to: </font>
                    <font face="sans-serif" size="2" color="#<%=fontColor%>"><%=
02
    FormatCurrency(rsProductInfo.Fields.Item("EP PotherPrice").Value)%></font>
03
                  04
                  <₹
05
    End If
06
07
    If (rsCatFields.Fields.Item("EP PboolWGT").Value <> "False") Then
0.8
09
     swapColors()
10
11
                  " valign="top">
12
                    <font face="sans-serif" size="2" color="#<%=fontColor%>">Wei
    ght:</font>
                    <font face="sans-serif" size="2" color="#<%=fontColor%>"><%=</pre>
13
    (rsProductInfo.Fields.Item("EP Pweight").Value) %> <%=(rsProductInfo.Fields.Item("EP Pweig
    htType").Value)%></font>
                  14
15
                  < 8
16
   End If
17
    융>
18
19
    If (rsCatFields.Fields.Item("EP PboolQTY").Value <> "False") Then
20
      swapColors()
21.
    육>
                  " valign="top">
22
                    <font face="sans-serif" size="2" color="#<%=fontColor%>">Qua
23
:\EPack Startup Files\templates\1\catalogViewItem.asp: 5/7
```

The real first and the second second

\_ Landeni

```
ntity:</font>
                   <font face="sans-serif" size="2" color="#<%=fontColor%>"><%=</pre>
24
   (rsProductInfo.Fields.Item("EP Pqty").Value)%></font>
25
26
                 < ₺
27
   End If
28
29
                 < %
   If (rsCatFields.Fields.Item("EP PboolSHT").Value <> "False") Then
30
31
     swapColors()
32
                 " valign="top">
33
                   <font face="sans-serif" size="2" color="#<%=fontColor%>">Shi
34
   ps
35
                     via:</font>
                   <font face="sans-serif" size="2" color="#<%=fontColor%>"><%=
36
   (rsProductInfo.Fields.Item("EP PshipType").Value)%></font>
37
                 < %
38
39
   End If
40
   %>
41
   If (rsCatFields.Fields.Item("EP PboolSHP").Value <> "False") Then
42
13
     swapColors()
14
                 " valign="top">
45
                   <font face="sans-serif" size="2" color="#<%=fontColor%>">S&a
46
   mp;H
                     Cost:</font>
47
                   <font face="sans-serif" size="2" color="#<%=fontColor%>"><%=</pre>
18
   FormatCurrency(rsProductInfo.Fields.Item("EP PshipPrice").Value)%></font>
19
                 50
                 < %
51
   End If
52
   용>
53
   If (rsCatFields.Fields.Item("EP PhoolSDES").Value <> "False") Then
54
55
     swapColors()
56
   %>
                 " valign="top">
57
                   <font face="sans-serif" size="2" color="#<%=fontColor%>">Sho
58
   rt Description:</font><b><font face="sans-serif" size="2" color="#<%=fontColor%>">
                     </font></b>
59
                   <font face="sans-serif" size="2" color="#<%=fontColor%>"><%=
50
    (rsProductInfo.Fields.Item("EP PshortDesc").Value)%></font>
                 51
                  <₹
62
63
   End If
64
   용>
                  <%
65
    If (rsCatFields.Fields.Item("EP_PboolLDES").Value <> "False") Then
56
5.7
68
    용>
                  " valign="top">
59
                   <font face="sans-serif" size="2" color="#<%=fontColor%>">Des
70
    cription:</font>
                   <font face="sans-serif" size="2" color="#<%=fontColor%>"><%=
71
    (rsProductInfo.Fields.Item("EP_PlongDesc").Value) %></font>
72
                  73
                  <୫
74
   End If
75
    %>
76
    If (rsCatFields.Fields.Item("EP PboolMNFL").Value <> "False") Then
17
18
79
                    
30
                   31
                     <% If (rsProductInfo.Fields.Item("EP PmanfLink").Value <> "na") Then %>
32
\EPack Startup Files\templates\1\catalogViewItem.asp: 6/7
```

\*

```
<font face="sans-serif" size="2"><A HREF="<%=(rsProductInfo.Fields.Item("E</pre>
   P PmanfLink").Value)%>">Click
                      here for more.</A></font>
84
                      <% End If %>
85
86
                     87
88
                   <8
89
   End If
90
91
                 92
                 <br>
93
                 <୫
                 If (rsIsCartOn.Fields.Item("EPak cart").Value = "True" AND rsProductInfo.Fields.
94
    Item("EP_PcanOrder").Value = "True") Then
95
                 <font face="sans-serif" size="2"><a href="cartAdd.asp?ID=<%=(rsProductInfo.Field")</pre>
96
    s.Item("ID").Value)%>">Click
                 here to add this item to your Shopping Cart.</a></font>
97
                 <% End If %>
98
               </div>
99
             00
           01
02
           03
               <hr color="#<%=EP_bordercolor%>">
04
05
             06
07
           80
             >
               <div align="center"> </div>
09
             10
           11
         12
        13
      14
    15
    </body>
16
    </html>
17
18
   rsProductInfo.Close()
19
20
   ક>
    <ક
21
22
   rsCatFields.Close()
23
   융>
24
    <₿
25
   rsIsCartOn.Close()
26
   융>
27
    < %
   rsTitleText.Close()
28
29
30
```

```
<%@LANGUAGE="VBSCRIPT"%>
    <!--#include file="../../Connections/dbEPakRecords.asp" -->
    <!--#include file="../../Connections/dbEPakObjectProps.asp" -->
    <!--#include file="../../Connections/dbEPakLibs.asp" -->
    Dim rsParentCats MMColParam
 6
    rsParentCats MMColParam = "1"
    if (Request.QueryString("ParentID") <> "") then rsParentCats_MMColParam = Request.QueryString
    ("ParentID")
 9
    용>
10
   < %
11
   set rsParentCats = Server.CreateObject("ADODB.Recordset")
    rsParentCats.ActiveConnection = MM dbEPakRecords STRING
    rsParentCats.Source = "SELECT * FROM ProotCats WHERE ID = " + Replace(rsParentCats MMColParam
    , "'", "''") + ""
14
   rsParentCats.CursorType = 0
15 rsParentCats.CursorLocation = 2
16 rsParentCats.LockType = 3
17 rsParentCats.Open()
18 rsParentCats_numRows = 0
19 %>
20 <%
21 set rsSubCats = Server.CreateObject("ADODB.Recordset")
22 rsSubCats.ActiveConnection = MM_dbEPakRecords_STRING
23 rsSubCats.Source = "SELECT * FROM PsubCats"
24 rsSubCats.CursorType = 0
25 rsSubCats.CursorLocation = 2
26 rsSubCats.LockType = 3
27 rsSubCats.Open()
28 rsSubCats numRows = 0
29
    용>
30
   < %
31
    Dim rsProductPreview MMColParam
    rsProductPreview MMColParam = "1"
    if (Request.QueryString("ID") <> "") then rsProductPreview MMColParam = Request.QueryString("
33
    ID")
34
    8>
35
    < %
3.6
    set rsProductPreview = Server.CreateObject("ADODB.Recordset")
37
    rsProductPreview.ActiveConnection = MM dbEPakRecords STRING
    rsProductPreview.Source = "SELECT * FROM EP_catalog WHERE EP_PcatParent = " + Replace(rsProduc
38
    tPreview MMColParam, "'", "''") + ""
3.9
   rsProductPreview.CursorType = 0
40
   rsProductPreview.CursorLocation = 2
    rsProductPreview.LockType = 3
    rsProductPreview.Open()
43
    rsProductPreview numRows = 0
44
45
    < %
46
    set rsCatFields = Server.CreateObject("ADODB.Recordset")
17
    rsCatFields.ActiveConnection = MM_connEPObjectProps_STRING
    rsCatFields.Source = "SELECT * FROM catalog_booleans"
48
19
    rsCatFields.CursorType = 0
50
    rsCatFields.CursorLocation = 2
51
    rsCatFields.LockType = 3
52
    rsCatFields.Open()
53
    rsCatFields numRows = 0
54
   융>
55
   < %
56 set rsTitleText = Server.CreateObject("ADODB.Recordset")
37
   rsTitleText.ActiveConnection = MM dbEPakLibs STRING
58 rsTitleText.Source = "SELECT * FROM titleText"
59 rsTitleText.CursorType = 0
50 rsTitleText.CursorLocation = 2
51 rsTitleText.LockType = 3
52 rsTitleText.Open()
53 rsTitleText numRows = 0
54: 8>
```

```
.66
    Dim Repeatl numRows
67
    Repeatl numRows = 10
68
    Dim Repeat1 index
    70
    rsProductPreview numRows = rsProductPreview numRows + Repeat1 numRows
71
    %>
72
73
       *** Recordset Stats, Move To Record, and Go To Record: declare stats variables
74
75
    ' set the record count
76
    rsSubCats_total = rsSubCats.RecordCount
77
78
    ' set the number of rows displayed on this page
79
    If (rsSubCats numRows < 0) Then</pre>
80
      rsSubCats numRows = rsSubCats total
    Elseif (rsSubCats numRows = 0) Then
81
82
      rsSubCats numRows = 1
83
    End If
84
85
    ' set the first and last displayed record
86
    rsSubCats_first = 1
    rsSubCats_last = rsSubCats_first + rsSubCats_numRows - 1
87
88
89
    ' if we have the correct record count, check the other stats
90
    If (rsSubCats total <> -1) Then
91
      If (rsSubCats_first > rsSubCats_total) Then rsSubCats_first = rsSubCats_total
      If (rsSubCats_last > rsSubCats_total) Then rsSubCats_last = rsSubCats_total
92
      If (rsSubCats_numRows > rsSubCats_total) Then rsSubCats_numRows = rsSubCats_total
93
    End If
94
95
    ક>
    <ફ
96
    ' *** Move To Record and Go To Record: declare variables
97
98
99
    Set MM rs
                 = rsSubCats
00
                 = rsSubCats_total
   MM rsCount
01
    MM size
                 = rsSubCats_numRows
    MM_uniqueCol = "ID"
02
03 MM_paramName = "ID"
   MM 	ext{ offset} = 0
04
    MM atTotal = false
05
06
    MM_paramIsDefined = false
    If (MM_paramName <> "") Then
07
08
      MM paramIsDefined = (Request.QueryString(MM paramName) <> "") -
29
    End If
10
    용>
11
    < 8
12
    ' *** Move To Specific Record: handle detail parameter
13
14
    If (MM_paramIsDefined And MM_rsCount <> 0) Then
15
16
      ' get the value of the parameter
17
      param = Request.QueryString(MM paramName)
18
19
      ' find the record with the unique column value equal to the parameter value
5.0
      MM 	ext{ offset} = 0
21
      Do While (Not MM rs.EOF)
22
        If (Cstr(MM_rs.Fields.Item(MM uniqueCol).Value) = param) Then
23
          Exit Do
24
        End If
25
        MM offset = MM offset + 1
        MM_rs.MoveNext
≥6
27
28
29
      ' if not found, set the number of records and reset the cursor
30
      If (MM_rs.EOF) Then
31
        If (MM_rsCount < 0) Then MM_rsCount = MM_offset</pre>
        If (MM_size < 0 Or MM_size > MM_offset) Then MM_size = MM_offset
32
33
        MM offset = 0
34
```

No. of

```
.35
         ' reset the cursor to the beginning
.36
        If (MM rs.CursorType > 0) Then
.37
          MM rs.MoveFirst
.38
        Else
.39
          MM rs.Close
          MM rs.Open
.40
.41
        End If
      End If
42
.43
.44
    End If
.45
    육>
46
    < %
47
     ' *** Move To Record: if we dont know the record count, check the display range
48
49
    If (MM rsCount = -1) Then
50
51
       ' walk to the end of the display range for this page
52
       i = MM offset
53
      While (Not MM rs.EOF And (MM size < 0 Or i < MM offset + MM size))
54
        MM rs.MoveNext
55
        i = i + 1
56
      Wend
57
58
       ' if we walked off the end of the recordset, set MM_rsCount and MM size
59
      If (MM_rs.EOF) Then
60
        MM rsCount = i
61
        If (MM_size < 0 Or MM_size > MM rsCount) Then MM size = MM rsCount
62
      End If
63
64
       ' if we walked off the end, set the offset based on page size
65
      If (MM rs.EOF And Not MM paramIsDefined) Then
66
        If (MM offset > MM rsCount - MM size Or MM offset = -1) Then
67
           If ((MM_rsCount Mod MM_size) > 0) Then
             MM_offset = MM_rsCount - (MM rsCount Mod MM size)
68
69
70
             MM offset = MM_rsCount - MM size
71
           End If
        End If
72
73
      End If
74
75
       ' reset the cursor to the beginning
76
       If (MM rs.CursorType > 0) Then
77
        MM rs.MoveFirst
78
      Else
79
        MM rs.Requery
80
      End If
81
82
       ' move the cursor to the selected record
83
84
      While (Not MM rs.EOF And i < MM offset)
35
        MM rs.MoveNext
3.6
        i = i + 1
87
      Wend
38
    End If
39
    융>
30
91
     ' *** Move To Record: update recordset stats
92
93
    ' set the first and last displayed record
94
    rsSubCats_first = MM_offset + 1
35
    rsSubCats last = MM_offset + MM size
96
    If (MM rsCount <> -1) Then
<del>3</del>7
      If (rsSubCats_first > MM_rsCount) Then rsSubCats_first = MM_rsCount
      If (rsSubCats_last > MM_rsCount) Then rsSubCats_last = MM_rsCount
38
39
    End If
20
   .' set the boolean used by hide region to check if we are on the last record
2
   MM atTotal = (MM_rsCount <> -1 And MM offset + MM size >= MM rsCount)
23
    윰>
```

The same of the sa

```
204
    < %
:05
    If (NOT rsProductPreview.EOF) Then
:06
        rsProductPreview.MoveFirst()
        recordTotal = 0
207
208
        While (NOT rsProductPreview.EOF)
209
            rsProductPreview.MoveNext()
110
            recordTotal = recordTotal + 1
111
        Wend
        rsProductPreview.MoveFirst()
112
    End If
113
114
    If (Request("catIndex") <> "") Then
115
        catIndex = Request("catIndex") + 10
116
:17
        If (NOT rsProductPreview.EOF) Then
:18
            rsProductPreview.MoveFirst
:19
            rsProductPreview.Move(Request("catIndex"))
20
        End If
:21
    Else
:22
        catIndex = 10
23
    End If
24
25
    %>
    <!--#include file="../../global.asp" -->
26
27
    <html>
28
29
    <title>Product Catalog</title>
    <meta http-equiv="Content-Type" content="text/html; charset=iso-8859-1">
30
31
    </head>
    <body bgcolor="#<%=(EP bgcolor)%>"
32
        text="#<%=EP text%>"
33
        link="#<%=EP link%>"
34
        vlink="#<%=EP vlink%>"
35
        alink="#<%=EP alink%>"
36
        leftmargin="3"
37
        topmargin="0"
38
        marginwidth="0"
39
        marginheight="0"
40
        background="../../<%=(EP_bgImg)%>">
41
    <!--#include file="../../banner.asp" -->
42
43
    <br>
    " cellspacing="0"
44
    ">
45
      46
        ">
47
48
49
              50
                <₿
51
                    'check to see which Title Text file is selected
52
                    cycleDone = false
53
                    Dim titleTextFile
54
55
                    While (NOT rsTitleText.EOF)
56
                        If (rsTitleText.Fields.Item("EP_isSelected").Value = "True") Then
57
58
                            titleTextFile = rsTitleText.Fields.Item("EP titleTextFile").Value
59
                       End If
60
                            rsTitleText.MoveNext
61
                    Wend
62
                <object classid="clsid:D27CDB6E-AE6D-11cf-96B8-444553540000" codebase="http://down</pre>
63
    load.macromedia.com/pub/shockwave/cabs/flash/swflash.cab#version=4,0,2,0" width="480" height="
    40">
                  <param name="movie" value="../../banners/titleText/<%=(titleTextFile)%>?txt=<P A</pre>
64
    LIGN='CENTER'><FONT COLOR='#<%=EP_text%>'>Product Catalog</FONT></P>">
65
                   <param name=wmode value=transparent>
66
                 <param name=quality value=high>
                  <embed src="../../banners/titleText/<%=(titleTextFile)%>?txt=<P ALIGN='CENTER'>
    FONT COLOR='#<%=EP_text%>'>Product Catalog</FONT></P>" quality=high pluginspage="http://www.ma
:\EPack Startup Files\templat s\1\catalogView.asp: 4/7
```

the second of the second second

Cara Salar a second

La Land

```
cromedia.com/shockwave/download/index.cgi?Pl Prod Version=ShockwaveFlash" type="application/x-
    shockwave-flash" width="480" height="40">
                  </embed>
68
                </object> 
69
            70
71
            72
              <hr color="#<%=EP_bordercolor%>">
73
74
              75
            76
            77
                <div align="center"><font face="sans-serif" size="2">Category:&nbsp;&nbsp;<i><b><%</pre>
78
    = (rsParentCats.Fields.Item("EP PRootCatName").Value) %>  < %= (rsSubCats.Fields.Item("
    EP PsubCatName").Value)%></b></i></font></div>
79
              80
81
            82
              <div align="center"><font face="sans-serif" size="2"><a href="javascript:history.b</pre>
83
    ack()">Click
84
                  here to go back.</a><br>
85
                    <br>
                  </font>
86
87
                  < %
                  If (recordTotal > 10) Then
88
89
90
                  <font face="Arial, Helvetica, sans-serif" size="2">Current Page
                  #:  <b><%=(catIndex / 10)%></b><br>
91
                  <% If ((catIndex-20) >= 0) Then %>
92
                  <a href="catalogView.asp?catIndex=<%=(catIndex-20)%>&ID=<%=Request("ID")%>&Paren
93
    tID=<%=Request("ParentID")%>">Previous
94
                  Page</a>
95
                  <% End If %>
                  <% If (recordTotal > catIndex) Then %>
96
                     <a href="catalogView.asp?catIndex=<%=catIndex%>&ID=<%=Request(
97
    "ID") %>&ParentID=<%=Request("ParentID") %>">Next
98
                  Page</a>
99
                  <% End If %>
00
                  < %
              If (recordTotal > (Int(recordTotal / 10)*10) ) Then
01
02
                  pageNum = Int(recordTotal / 10) + 1
13
                  pageNum = Int(recordTotal / 10)
24
05
              End If
06
              용>
                  </font><font face="sans-serif" size="2"> </font><font face="Arial, Helvetica, sa
37
    ns-serif" size="2">
98
                  <४
               pgCount = 0
09
1-0
               If (pageNum > 1) Then
                 Response.Write("<BR>Choose a page number:&nbsp;&nbsp;")
11
               End If
12
13
                 While (pgCount < pageNum)
14
                  If (pgCount <> ((catIndex / 10)-1)) Then
15
                  Response.Write("<A HREF='catalogView.asp?catIndex=" & (pgCount * 10) & "&ID=" &
16
    Request("ID") & "&ParentID=" & Request("ParentID") & "'>" & pgCount+1 & "</A>&nbsp; %nbsp;")
.17
                  Response.Write(pgCount+1 & "   ")
18
L9
20
                  pgCount = pgCount+1
              Wend
21
22
              %>
23
                  <ક
              End If
24
25
                 </font><font face="sans-serif" size="2"><br>
26
27
                  </font>
 \EPack Startup Files\templates\1\catalogView.asp: 5/7
```

```
28
29
   While ((Repeatl numRows <> 0) AND (NOT rsProductPreview.EOF))
30
31
32
                      
:33
34
                   35
                   :36
                       <₿
.37
                     If (rsCatFields.Fields.Item("EP PboolFTHM").Value <> "False") Then
.38
39
                       <IMG SRC="../../images/thumbs/<%=(rsProductPreview.Fields.Item("EP PthumFi</pre>
40
    le"). Value) %>">
41
                     End If
42
                     %>
43
44
                     <font face="sans-serif" size="2"><%=(rsProductPreview.Fields.Item("EP Pn
45
    ame").Value)%><br>
                       <a href="catalogViewItem.asp?ID=<%=(rsProductPreview.Fields.Item("ID").Val</pre>
46
    ue) %>">(click
47
                       here for details)</a><br>
48
                       </font>
                     <font face="sans-serif" size="2">
49
                       <%
50
                     If (rsCatFields.Fields.Item("EP PboolPRC").Value <> "False") Then
51
52
                       <%=FormatCurrency(rsProductPreview.Fields.Item("EP_Pprice").Value)%>
53
                       <% End If %>
54
                       </font>
55
                   56
57
                   <font face="sans-serif" size="1">
58
59
                     If (rsCatFields.Fields.Item("EP PboolSDES").Value <> "False") Then
60
61
                       <%=(rsProductPreview.Fields.Item("EP PshortDesc").Value)%>
62
                       <% End If %>
63
                       </font>
64
                   65
                   < %
66
      Repeatl index=Repeatl index+1
67
      Repeat1 numRows=Repeat1 numRows-1
68
      rsProductPreview.MoveNext()
69
70
    Wend
71
    %>
72
                 <font face="Arial, Helvetica, sans-serif" size="2">
73
74
                 If (recordTotal > 10) Then
75
76
                 Current Page #:  <b><%=(catIndex / 10)%></b><br>
77
                 <% If ((catIndex-20) >= 0) Then %>
78
                  <a href="catalogView.asp?catIndex=<%=(catIndex-20)%>&ID=<%=Request("ID")%>&Paren
79
    tID=<%=Request("ParentID")%>">Previous
80
                 Page</a>
                 <% End If %>
81
82
                 <% If (recordTotal > catIndex) Then %>
                    <a href="catalogView.asp?catIndex=<%=catIndex%>&ID=<%=Request(
83
    "ID") %>&ParentID=<%=Request("ParentID")%>">Next
                 Page</a>
84
                 <% End If %>
8.5
86
87
              If (recordTotal > (Int(recordTotal / 10)*10) ) Then
88
                 pageNum = Int(recordTotal / 10) + 1
89
                 pageNum = Int(recordTotal / 10)
90
~91 🥻
              End If
:\EPack Startup Files\templates\1\catalogView.asp: 6/7
```

```
용>
:93
                  < ४
;94
               pgCount = 0
:95
                If (pageNum > 1) Then
                 Response.Write("<BR>Choose a page number:&nbsp;&nbsp;")
196
397
               End If
:98
:99
                 While (pgCount < pageNum)
                  If (pgCount <> ((catIndex / 10)-1)) Then
100
                  Response.Write("<A HREF='catalogView.asp?catIndex=" & (pgCount * 10) & "&ID=" &
101
     Request("ID") & "&ParentID=" & Request("ParentID") & "'>" & pgCount+1 & "</A>&nbsp;&nbsp;")
 02
                Else
 03
                  Response.Write(pgCount+1 & "  ")
 04
                End If
 05
                  pgCount = pgCount+1
              Wend
 06
 07
               %>
                   < %
 08
              End If
 09
               웅>
 10
                   </font><font face="sans-serif" size="2"> </font><font face="sans-serif" size="2"</pre>
 11
 12
                  </font></div>
               13
             14
 15
             16
               <hr color="#<%=EP bordercolor%>">
 17
               18
             19
 20
             21
               <div align="center"> </div>
 22
 23
               24
           25
 26
         27
       28
     </body>
 29
 30
     </html>
     < 8
 32
     rsParentCats.Close()
 33
 34
 35
     rsSubCats.Close()
 36
     %>
 37
     < %
 38
     rsProductPreview.Close()
 39
 40
     rsCatFields.Close()
 41
 42
     8>
 43
     < 8
 14
     rsTitleText.Close()
 45
46
```

```
<%@LANGUAGE="VBSCRIPT"%>
    <!--#include file="../../Connections/dbEPakRecords.asp" -->
 3
   <!--#include file="../../Connections/dbEPakLibs.asp" -->
   <୫
 5
   set rsParentCats = Server.CreateObject("ADODB.Recordset")
   rsParentCats.ActiveConnection = MM dbEPakRecords STRING
   rsParentCats.Source = "SELECT * FROM ProotCats"
 7
   rsParentCats.CursorType = 0
 9
   rsParentCats.CursorLocation = 2
10
   rsParentCats.LockType = 3
    rsParentCats.Open()
11
    rsParentCats_numRows = 0
13
    용>
14
    < 8
15
   set rsSubCats = Server.CreateObject("ADODB.Recordset")
    rsSubCats.ActiveConnection = MM dbEPakRecords STRING
    rsSubCats.Source = "SELECT * FROM PsubCats"
17
18
    rsSubCats.CursorType = 0
19
    rsSubCats.CursorLocation = 2
20
    rsSubCats.LockType = 3
21
    rsSubCats.Open()
    rsSubCats_numRows = 0
22
23
    ક>
24
    <ક
25
    set rsTitleText = Server.CreateObject("ADODB.Recordset")
    rsTitleText.ActiveConnection = MM dbEPakLibs STRING
27
    rsTitleText.Source = "SELECT * FROM titleText"
28
    rsTitleText.CursorType = 0
29
    rsTitleText.CursorLocation = 2
30
    rsTitleText.LockType = 3
31
    rsTitleText.Open()
32
    rsTitleText_numRows = 0
33
    용>
34
    < %
35
    Dim Repeatl numRows
36
    Repeat1 numRows = -1
37
    Dim Repeatl__index
38
    Repeat1_index = 0
39
    rsSubCats_numRows = rsSubCats_numRows + Repeat1 numRows
40
    용>
41
    <ક
42
       *** Recordset Stats, Move To Record, and Go To Record: declare stats variables
43
44
    ' set the record count
45
    rsParentCats_total = rsParentCats.RecordCount
46
47
    ' set the number of rows displayed on this page
48
    If (rsParentCats numRows < 0) Then</pre>
49
      rsParentCats numRows = rsParentCats total
50
    Elseif (rsParentCats numRows = 0) Then
51
      rsParentCats numRows = 1
52
    End If
53
54
    ' set the first and last displayed record
55
    rsParentCats_first = 1
56
    rsParentCats_last = rsParentCats_first + rsParentCats_numRows - 1
57
58
    ' if we have the correct record count, check the other stats
59
    If (rsParentCats total <> -1) Then
60
      If (rsParentCats first > rsParentCats total) Then rsParentCats first = rsParentCats total
61
      If (rsParentCats last > rsParentCats total) Then rsParentCats last = rsParentCats total
62
      If (rsParentCats_numRows > rsParentCats_total) Then rsParentCats numRows = rsParentCats tota
    1
    End If
63
64
    %>
65
    <୫
      *** Move To Record and Go To Record: declare variables
66
                 = rsParentCats
    Set MM rs
:\EPack Startup Files\templates\1\catalogSubCats.asp: 1/5
```

```
MM rsCount
                 = rsParentCats total
70 MM_size
                 = rsParentCats_numRows
71 MM uniqueCol = "ID"
   MM_paramName = "ID"
72
73
   MM offset = 0
   MM atTotal = false
75
    MM paramIsDefined = false
    If (MM_paramName <> "") Then
76
77
      MM_paramIsDefined = (Request.QueryString(MM_paramName) <> "")
78
      idStr = CStr(Request.QueryString(MM_paramName))
79
    End If
80
    %>
81
    ' *** Move To Specific Record: handle detail parameter
82
83
84
    If (MM paramIsDefined And MM rsCount <> 0) Then
85
86
      ' get the value of the parameter
87
      param = Request.QueryString(MM paramName)
88
89
      ' find the record with the unique column value equal to the parameter value
90
      MM 	ext{ offset} = 0
91
      Do While (Not MM rs.EOF)
92
        If (Cstr(MM rs.Fields.Item(MM uniqueCol).Value) = param) Then
93
          Exit Do
94
        End If
95
        MM offset = MM offset + 1
96
        MM rs.MoveNext
97
      Loop
98
      ' if not found, set the number of records and reset the cursor If (MM_rs.EOF) Then
99
00
01
        If (MM rsCount < 0) Then MM rsCount = MM offset
        If (MM size < 0 Or MM size > MM offset) Then MM size = MM offset
02
03
        MM_offset = 0
04
05
        ' reset the cursor to the beginning
06
        If (MM rs.CursorType > 0) Then
07
          MM rs.MoveFirst
08
        Else
09
          MM_rs.Close
10
          MM rs.Open
11
        End If
12
      End If
13
14
    End If
15
    용>
16
17
    ' *** Move To Record: if we dont know the record count, check the display range
18
19
    If (MM rsCount = -1) Then
20
21
      ' walk to the end of the display range for this page
22
      i = MM offset
23
      While (Not MM_rs.EOF And (MM_size < 0 Or i < MM offset + MM size))
24
        MM rs.MoveNext
25
        i = i + 1
26
      Wend
27
      ' if we walked off the end of the recordset, set MM_rsCount and MM_size
28
29
      If (MM rs.EOF) Then
30
        MM rsCount = i
31
        If (MM size < 0 Or MM size > MM rsCount) Then MM size = MM rsCount
32
\cdot 33
      ' if we walked off the end, set the offset based on page size
34
35
      If (MM_rs.EOF And Not MM paramIsDefined) Then
36
        If (MM_offset > MM_rsCount - MM size Or MM_offset = -1) Then
          If ((MM rsCount Mod MM size) > 0) Then
37· ·
:\EPack Startup Fil s\templates\1\catalogSubCats.asp: 2/5
```

Trem.

```
MM_offset = MM_rsCount - (MM_rsCount Mod MM_size)
139
L40
            MM offset = MM rsCount - MM size
          End If
141
142
        End If
      End If
143
144
145
      ' reset the cursor to the beginning
L46
      If (MM rs.CursorType > 0) Then
        MM_rs.MoveFirst
L47
L48
149
        MM rs.Requery
L'50
      End If
l 51
152
      ' move the cursor to the selected record
.53
.54
      While (Not MM rs.EOF And i < MM offset)
        MM rs.MoveNext
.55
        i = i + 1
:56
157
      Wend
    End If
.58
.59
    %>
.60
    <₿
    ' *** Move To Record: update recordset stats
.61
.62
.63
    ' set the first and last displayed record
.64
    rsParentCats_first = MM_offset + 1
    rsParentCats_last = MM_offset + MM_size
.65
.66
    If (MM rsCount <> -1) Then
     _ If (rsParentCats_first > MM_rsCount) Then rsParentCats_first = MM rsCount
.67
 68
      If (rsParentCats_last > MM_rsCount) Then rsParentCats_last = MM_rsCount
.69
    End If
.70
71
     ' set the boolean used by hide region to check if we are on the last record
72
    MM_atTotal = (MM_rsCount <> -1 And MM_offset + MM_size >= MM_rsCount)
.73
    용>
 74
    <!--#include file="../../global.asp" -->
 75
    <html>
 76
    <head>
 77
    <title>Product Catalog</title>
.78
    <meta http-equiv="Content-Type" content="text/html; charset=iso-8859-1">
 79
    </head>
    <body bgcolor="#<%=(EP_bgcolor)%>"
 80
 81
        text="#<%=EP_text%>"
        link="#<%=EP_link%>"
 82
        vlink="#<%=EP_vlink%>"
 83
        alink="#<%=EP_alink%>"
 84
        leftmargin="3"
 85
        topmargin="0"
 86
        marginwidth="0"
 87
        marginheight="0"
 88
        background="../../<%=(EP_bgImg)%>">
 89
    <!--#include file="../../banner.asp" -->
 90
 91
    <br>
    " cellspacing="0
 92
     ">
 93
      94
        ">
 95
 96
 97
              98
                <8
 99
                    'check to see which Title Text file is selected
 00
                    cycleDone = false
 01
                    Dim titleTextFile
 02
 03
                    While (NOT rsTitleText.EOF)
 04
                        If (rsTitleText.Fields.Item("EP isSelected").Value = "True") Then
 :\EPack Startup Files\templates\1\catalogSubCats.asp: 3/5
```

A CHARLES AND A SECOND

```
:06
                            titleTextFile = rsTitleText.Fields.Item("EP titleTextFile").Value
°07
                        End If
                            rsTitleText.MoveNext
:08
                    Wend
:09
                    %>
10
                <object classid="clsid:D27CDB6E-AE6D-11cf-96B8-444553540000" codebase="http://down</pre>
211
    load.macromedia.com/pub/shockwave/cabs/flash/swflash.cab#version=4,0,2,0" width="480" height="
    40">
                  <param name="movie" value="../../banners/titleText/<%=(titleTextFile)%>?txt=<P A</pre>
12
    LIGN='CENTER'><FONT COLOR='#<%=EP text%>'>Product Catalog</FONT></P>">
113
                   <param name=wmode value=transparent>
                 <param name=quality value=high>
?14
                  <embed src="../../banners/titleText/<%=(titleTextFile)%>?txt=<P ALIGN='CENTER'>
115
    FONT COLOR='#<%=EP_text%>'>Product Catalog</FONT></P>" quality=high pluginspage="http://www.ma
    cromedia.com/shockwave/download/index.cgi?Pl Prod Version=ShockwaveFlash" type="application/x-
    shockwave-flash" width="480" height="40">
                  </embed>
:16
:17
                </object> 
            118
            :19
:20
              <hr color="#<%=EP_bordercolor%>">
:21
:22
              :23
            .24
            :25
              -
                <div align="center"><font face="sans-serif" size="2">Category:&nbsp;&nbsp;<i><b><%</pre>
:26
    =(rsParentCats.Fields.Item("EP PRootCatName").Value)%></b></i>&nbsp;</font></div>
:27
              :28
            :29
:30
              <div align="center"><font face="sans-serif" size="2"><a href="javascript:history.b</pre>
:31
    ack()">Click
:32
                  here to go back.</a></font></div>
              :33
            34
 35
            36
               37
                 <div align="center">&nbsp;</div>
:38
               39
 40
            41
               <div align="center"><font face="sans-serif" size="2">Choose a sub-category:</font>
     </div>
 43
               :44
:45
             46
                 <div align="center">&nbsp;<br>
 47
 48
                   <font face="sans-serif" size="2">|
:49
     While ((Repeatl numRows <> 0) AND (NOT rsSubCats.EOF))
 50
 51
     If (CStr(rsSubCats.Fields.Item("EP PparentCat").Value) = idStr) Then
 52
:53
:54
                   <a href="catalogView.asp?ID=<%=(rsSubCats.Fields.Item("ID").Value)%>&ParentID=<%</pre>
     =Int(idStr)%>"><%=(rsSubCats.Fields.Item("EP PsubCatName").Value)%></a>&nbsp;|
:55
                   <୫
 56
     End If
.57
     융>
 58
                   < %
       Repeat1__index=Repeat1__index+1
 59
       Repeat1 numRows=Repeat1 numRows-1
 60
 61
       rsSubCats.MoveNext()
 62:
     Wend
 :63
     융>
                   </font></div>
 :\EPack Startup Files\templates\1\catalogSubCats.asp: 4/5
```

```
?65
            :66
          :67
          :68
            <hr-color="#<%=EP_bordercolor%>">
269
270
            ?71
           ?72
           273
            <div align="center"> </div>
274
275
            :76
           :77
         :78
       :79
     :80
    :81
    </body>
:82
    </html>
:83
    < %
:84
    rsParentCats.Close()
:85
    ક>
.86
    < 8
87
    rsSubCats.Close()
.88
    8>
89
    <%
.90
    rsTitleText.Close()
91
    %>
92
```

```
<%@LANGUAGE="VBSCRIPT"%>
1
   <!--#include file="../../Connections/dbEPakRecords.asp" -->
2
3
   <!--#include file="../../Connections/dbEPakLibs.asp" -->
4
   < 8
   set rsParentCats = Server.CreateObject("ADODB.Recordset")
5
   rsParentCats.ActiveConnection = MM dbEPakRecords STRING
   rsParentCats.Source = "SELECT * FROM ProotCats"
   rsParentCats.CursorType = 0
9
   rsParentCats.CursorLocation = 2
10
   rsParentCats.LockType = 3
11
   rsParentCats.Open()
12
   rsParentCats_numRows = 0
13
   8>
14
   <%
   set rsTitleText = Server.CreateObject("ADODB.Recordset")
15
16
   rsTitleText.ActiveConnection = MM dbEPakLibs STRING
   rsTitleText.Source = "SELECT * FROM titleText"
17
18
   rsTitleText.CursorType = 0
   rsTitleText.CursorLocation = 2
19
20
   rsTitleText.LockType = 3
21
   rsTitleText.Open()
22
   rsTitleText numRows = 0
23
   8>
24
   < 8
25
   Dim Repeat1__numRows
26
   Repeat1 _numRows = -1
   Dim Repeat1__index
27
28
   Repeat index = 0
29
   rsParentCats_numRows = rsParentCats_numRows + Repeat1_numRows
30
   %>
31
   <!--#include file="../../global.asp" -->
32
   <html>
33
   <head>
34
    <title>Product Catalog</title>
    <meta http-equiv="Content-Type" content="text/html; charset=iso-8859-1">
35
36
    </head>
37
    <body bgcolor="#<%=(EP_bgcolor)%>"
38
       text="#<%=EP_text%>"
39
       link="#<%=EP link%>"
40
       vlink="#<%=EP_vlink%>"
       alink="#<%=EP alink%>"
41
       leftmargin="3"
42
       topmargin="0"
43
       marginwidth="0"
44
       marginheight="0"
45
       background="../../<%=(EP bgImg)%>">
46
    <!--#include file="../../banner.asp" -->
47
48
    " cellspacing="0
49
    ">
50
      51
         ">
52
53
54
             55
               <8
                   'check to see which Title Text file is selected
56
                   cycleDone = false
57
                   Dim titleTextFile
58
59
                   While (NOT rsTitleText.EOF)
60
61
                       If (rsTitleText.Fields.Item("EP isSelected").Value = "True") Then
62
                           titleTextFile = rsTitleText.Fields.Item("EP titleTextFile").Value
63
                       End If
64
                           rsTitleText.MoveNext
65
66
                   Wend
                   웅>
67
               <object classid="clsid:D27CDB6E-AE6D-11cf-96B8-444553540000" codebase="http://down</pre>
:\EPack Startup Files\templat s\1\catal g.asp: 1/2
```

Sangara kati 💆 🔾 🚉

Mark I am and the pro-

a same

```
load.macromedia.com/pub/shockwave/cabs/flash/swflash.cab#version=4,0,2,0" width="480" height="
    40">
                 <param name="movie" value="../../banners/titleText/<%=(titleTextFile)%>?txt=<P A</pre>
69
    LIGN='CENTER'><FONT COLOR='#<%=EP text%>'>Product Catalog</FONT>">
70
                 <param name=wmode value=transparent>
71
                 <param name=quality value=high>
72
                 <embed src="../../banners/titleText/<%=(titleTextFile)%>?txt=<P ALIGN='CENTER'>
    FONT COLOR='#<%=EP_text%>'>Product Catalog</FONT></P>" quality=high pluginspage="http://www.ma
    cromedia.com/shockwave/download/index.cgi?P1_Prod_Version=ShockwaveFlash" type="application/x-
    shockwave-flash" width="480" height="40">
73
                 </embed>
74
               </object> 
75
           76
           77
             78
               <hr color="#<%=EP bordercolor%>">
79
             80
           81
             >
82
               <div align="center"><font face="sans-serif" size="2"><b>Select a category
83
84
                 you would like to browse: <br>
85
                   </b></font></div>
             86
           87
88
           89
             <div align="center"><font face="sans-serif" size="2">|
90
91
    While ((Repeat1 numRows <> 0) AND (NOT rsParentCats.EOF))
92
93
    용>
                 <A HREF="catalogSubCats.asp?ID=<%=(rsParentCats.Fields.Item("ID").Value)%>"><%=(</pre>
94
    rsParentCats.Fields.Item("EP PRootCatName").Value) %></A>&nbsp; /
95
                 <8
9.6
      Repeatl_index=Repeatl index+1
      Repeat1 numRows=Repeat1 numRows-1
97
98
      rsParentCats.MoveNext()
99
    Wend
00
    융>
01
                 </font></div>
.02
             .03
04
           05
              
06
           07
           98
09
               <hr color="#<%=EP bordercolor%>">
10
             11
12
           13
14
               <div align="center"> </div>
15
             16
           17
         18
        19
      20
    21
    </body>
22
    </html>
23
    <₽
24
    rsParentCats.Close()
25
    %>
26
    < %
27
    rsTitleText.Close()
28
    8>
:29
```

```
<%@LANGUAGE="VBSCRIPT"%>
    <!--#include file="../../Connections/dbEPakRecords.asp" -->
   <!--#include file="../../Connections/dbEPakLibs.asp" -->
   <୫
    set rsProducts = Server.CreateObject("ADODB.Recordset")
    rsProducts.ActiveConnection = MM dbEPakRecords STRING
    rsProducts.Source = "SELECT ID, \overline{E}P_Pname, EP_Pprice FROM catalog"
    rsProducts.CursorType = 0
9
    rsProducts.CursorLocation = 2
10
   rsProducts.LockType = 3
11
    rsProducts.Open()
    rsProducts_numRows = 0
13
    융>
14
    <₹
15
    set rsTitleText = Server.CreateObject("ADODB.Recordset")
    rsTitleText.ActiveConnection = MM dbEPakLibs STRING
    rsTitleText.Source = "SELECT * FROM titleText"
17
   rsTitleText.CursorType = 0
19
   rsTitleText.CursorLocation = 2
20
   rsTitleText.LockType = 3
    rsTitleText.Open()
21
22
    rsTitleText_numRows = 0
23
    용>
24
    < 8
25
    ' i val
      Remove items from the Sessions ID and QTY arrays
27
      First split the strings into arrays,
28
      then use the i_val to empty the array point
      somehow need to remove the i point entirely so all other
29
30
      values move forward in the array.
31
    ' Then rejoin the arrays back to Session strings.
32
33
    If (Request.Form("i val") <> "") Then
34
            qtyStr = Session("QTY")
            idStr = Session("ID")
35
36
37
            qtySplit = Split(qtyStr, "|")
38
            idSplit = Split(idStr, "|")
39
40
            i = 0
41
            Session("ID") = ""
42
            Session("QTY") = ""
43
            While( i < Ubound(qtySplit) )</pre>
44
                If ( i <> Int(Request.Form("i val")) ) Then
                     Session("ID") = Session("\overline{ID}") & CStr(idSplit(i)) & "|"
45
46
                     Session("QTY") = Session("QTY") & CStr(qtySplit(i)) & "|"
47
                End If
48
                i = i+1
49
            Wend
50
51
   End If
52
53
54
55
    %>
56
    <₩
57
            ' cart qty is numeric field
58
            ' prod id is ID field (hidden)
59
    If (Session("QTY") <> "" AND Session("ID") <> "") Then
60
        itemsStr = Session("ID")
61
        qtyStr = Session("QTY")
62
63
        splitItems = Split(itemsStr, "|")
64
        splitQTY = Split(qtyStr, "|")
65
66
    End If
67
    If (Session("QTY") = "") Then
68
        noItems = true
:\EPack Startup Fil s\t mplates\1\cartRemove.asp: 1/4
```

```
70
   End If
71
72
   <!--#include file="../../global.asp" -->
73
   <html>
74
   <head>
75
   <title>Shopping Cart - Remove Items</title>
76
   <meta http-equiv="Content-Type" content="text/html; charset=iso-8859-1">
77
   </head>
78
    <body bgcolor="#<%=(EP bgcolor)%>"
79
       text="#<%=EP text%>"
       link="#<%=EP link%>"
80
       vlink="#<%=EP vlink%>"
81
82
       alink="#<%=EP alink%>"
       leftmargin="3"
83
84
       topmargin="0"
       marginwidth="0"
85
       marginheight="0"
86
       background="../../<%=(EP bgImg)%>">
87
88
   <!--#include file="../../banner.asp" -->
89
   " cellspacing="0"
90
91
     92
       >
         ">
93
94
95
             96
               <%
97
                   'check to see which Title Text file is selected
98
                  cycleDone = false
99
                  Dim titleTextFile
.00
.01
                  While (NOT rsTitleText.EOF)
.02
.03
                      If (rsTitleText.Fields.Item("EP isSelected").Value = "True") Then
04
                          titleTextFile = rsTitleText.Fields.Item("EP titleTextFile").Value
05
                      End If
06
                          rsTitleText.MoveNext
.07
                  Wend
80:
                  용>
.09
               <object classid="clsid:D27CDB6E-AE6D-11cf-96B8-444553540000" codebase="http://down</pre>
   load.macromedia.com/pub/shockwave/cabs/flash/swflash.cab#version=4,0,2,0" width="480" height="
                <param name="movie" value="../../banners/titleText/<%=(titleTextFile)%>?txt=<P A</pre>
1.0
   LIGN='CENTER'><FONT COLOR='#<%=EP text%>'>Shopping Cart - Remove Items</FONT></P>">
.11
                <param name=wmode value=transparent>
.12
                <param name=quality value=high>
.13
                <embed src="../../banners/titleText/<%=(titleTextFile)%>?txt=<P ALIGN='CENTER'>
   FONT COLOR='#<%=EP_text%>'>Shopping Cart - Remove Items</FONT></P>" quality=high pluginspage="
   http://www.macromedia.com/shockwave/download/index.cgi?Pl_Prod_Version=ShockwaveFlash" type="a
    pplication/x-shockwave-flash" width="480" height="40">
                </embed>
14
15
               </object> 
16
           17
           18
             19
              <hr color="#<%=EP bordercolor%>">
20
             21
22
           23
             24
              <div align="center"><font face="sans-serif" size="2"><a href="checkout.asp?checkou</pre>
    tLong=true">Click
25
                here to check out.</a><br>
26
                <a href="javascript:history.go(-2)">Click here to go back and continue
27
                shopping.</a></font></div>
             28
           29
```

```
131
             132
              133
                   
134
135
                  <b><font face="sans-serif" size="2">Quantity</font></b>
136
                  <b><font face="sans-serif" size="2">&nbsp;&nbsp;Name
137
                   of Item(s)</font></b>
138
                  <b><font face="sans-serif" size="2">Price</font></b>
139
                L40
                < ₹
L41
    If (NOT noItems) Then
142
143
    i=0
144
    While (i <= Ubound(splitItems))
.45
.46
                < %
.47
           rsProducts.MoveFirst()
.48
           While (NOT rsProducts.EOF)
.49
           %>
50
                < %
              If (CStr(splitItems(i)) = CStr(rsProducts.Fields.Item("ID").Value)) Then
.51
.52
.53
.54
                  <form name="form1" method="post" action="">
.55
                    "<input type="submit" name="Submit" value="Remove &gt;" style="</pre>
.56
.57
                       border-color: #<%=EP bordercolor%>;
.58
                       border-style: solid;
.59
                       font-size: 9pt;
60
                       border-width: 1px;
61
                       background-color: #<%=EP bgcolor%>;
62
                       color: #<%=EP text%>;
.63
                       cursor: hand; ">
.64
                     <input type="hidden" name="i_val" value="<%=i%>">
65
                   66
                    67
                     <div align="center"><font face="sans-serif" size="2"><%=splitQTY(i)%></fon
    t></div>
68
                   <font face="sans-serif" size="2">&nbsp;&nbsp;&nbsp;&nbsp;<%=</pre>
69
    (rsProducts.Fields.Item("EP Pname").Value)%></font>
                   <font face="sans-serif" size="2"><%=FormatCurrency(rsProduct
70
    s.Fields.Item("EP_Pprice").Value)%></font>
71
                   <8
72
              End If
73
              용>
 74
                  </form>
 75
                76
                < ₺
 77
           rsProducts.MoveNext()
 78
           Wend
79
           %>
80
                < %
:81
    i=i+1
    Wend
82
83
84
    End If
85
    8>
86
87
              <font face="sans-serif" size="2"><br>
88
                </font>
           89
90
          </r>
91
            92
              <hr color="#<%=EP bordercolor%>">
93
            94
95
           96
```

:\EPack Startup Files\templates\1\cartRemove.asp: 3/4

The same of the same

```
<div align="center"> </div>
.97
98
            .99
          :00
        :01
       :02
     :03
   :04
   </body>
205
   </html>
206
   <୫
   rsProducts.Close()
:07
908
   %>
:09
   <8
10
   rsTitleText.Close()
:11
   융>
:12
```

```
<%@LANGUAGE="VBSCRIPT"%>
    <!--#include file="../../Connections/dbEPakRecords.asp" -->
   <!--#include file="../../Connections/dbEPakLibs.asp" -->
   < 움
   set rsProducts = Server.CreateObject("ADODB.Recordset")
   rsProducts.ActiveConnection = MM dbEPakRecords STRING
    rsProducts.Source = "SELECT ID, EP_Pname FROM EP_catalog"
   rsProducts.CursorType = 0
   rsProducts.CursorLocation = 2
   rsProducts.LockType = 3
10
    rsProducts.Open()
11
    rsProducts numRows = 0
12
13
   융>
14
   < %
    set rsTitleText = Server.CreateObject("ADODB.Recordset")
15
16 rsTitleText.ActiveConnection = MM dbEPakLibs STRING
   rsTitleText.Source = "SELECT * FROM titleText"
17
18 rsTitleText.CursorType = 0
19
   rsTitleText.CursorLocation = 2
   rsTitleText.LockType = 3
20
21
    rsTitleText.Open()
   rsTitleText_numRows = 0
22
23
    %>
24
    < %
25
    ' Create Session variables for Shopping cart.
    ' Check addToCart status and if true,
26
    ' add ID and QTY to Session variables.
27
    ' There should be two session vars - ID and QTY
28
    ' These will be split on checkout.
29
30
    If (Request.Form("addToCart") <> "") Then
31
             ' addToCart is okay, now create session vars
32
            ' cart qty is numeric field
33
            ' prod_id is ID field (hidden)
34
35
36
            If (Session("ID") <> "") Then
                'need to detect existing IDs? nah--not right now.
37
                Session("ID") = Session("ID") & Request.Form("prod_id") & "|"
38
39
            Else
                Session("ID") = Request.Form("prod_id") & "|"
40
            End If
41
-42
            If (Session("QTY") <> "") Then
43
                'need to detect existing IDs? nah--not right now.
44
                Session("QTY") = Session("QTY") & Request.Form("cart qty") & "|"
45
46
                Session("QTY") = Request.Form("cart qty") & "|"
47
            End If
48
49
            'Response.Write(Session("QTY") & "<BR>")
50
            'Response.Write(Session("ID") & "<BR>")
51
            'Session("QTY") = ""
52
            'Session("ID") = ""
53
54
            Response.Redirect("cart.asp?newitem=true")
55
56
    End If
57
58
    용>
59
       *** Recordset Stats, Move To Record, and Go To Record: declare stats variables
60
    ' set the record count
62
    rsProducts_total = rsProducts.RecordCount
63
64
65
     ' set the number of rows displayed on this page
66
    If (rsProducts numRows < 0) Then
      rsProducts numRows = rsProducts total
67
    Elseif (rsProducts numRows = 0) Then
68
69
      rsProducts_numRows = 1
```

```
End If
71
72
    ' set the first and last displayed record
73
    rsProducts first = 1
7.4
    rsProducts last = rsProducts first + rsProducts numRows - 1
75
76
    ' if we have the correct record count, check the other stats
77
    If (rsProducts total <> -1) Then
78
      If (rsProducts_first > rsProducts_total) Then rsProducts_first = rsProducts_total
79
      If (rsProducts_last > rsProducts_total) Then rsProducts_last = rsProducts_total
      If (rsProducts_numRows > rsProducts_total) Then rsProducts_numRows = rsProducts_total
80
81
    End If
82
    움>
83
    < ₹
    ' *** Move To Record and Go To Record: declare variables
84
85
86
                  = rsProducts
    Set MM rs
   MM rsCount
                 = rsProducts total
87
   MM size
                  = rsProducts_numRows
88
   MM uniqueCol = "ID"
89
90 MM_paramName = "ID"
91 \text{ MM offset} = 0
   MM atTotal = false
92
   MM_paramIsDefined = false
93
    If (MM_paramName <> "") Then
94
95
      MM paramIsDefined = (Request.QueryString(MM paramName) <> "")
    End \overline{I}f
96
97
    융>
98
    ' *** Move To Specific Record: handle detail parameter
99
00
01
    If (MM paramIsDefined And MM rsCount <> 0) Then
02
      ' get the value of the parameter
03
04
      param = Request.QueryString(MM_paramName)
0.5
06
      ' find the record with the unique column value equal to the parameter value
07
      MM 	ext{ offset} = 0
80
      Do While (Not MM rs.EOF)
        If (Cstr(MM rs.Fields.Item(MM uniqueCol).Value) = param) Then
09
10
          Exit Do
11
        End If
12
        MM offset = MM offset + 1
13
        MM rs.MoveNext
14
      Loop
15
16
       ' if not found, set the number of records and reset the cursor
      If (MM rs.EOF) Then
17
18
        If (MM_rsCount < 0) Then MM_rsCount = MM_offset</pre>
19
        If (MM_size < 0 Or MM_size > MM_offset) Then MM_size = MM_offset
20
        MM 	ext{ offset} = 0
21
22
         ' reset the cursor to the beginning
23
        If (MM rs.CursorType > 0) Then
24
          MM rs.MoveFirst
25
        Else
26
          MM_rs.Close
27
          MM_rs.Open
28
        End If
29
      End If
30
31
    End If
32
    %>
33
    ' *** Move To Record: if we dont know the record count, check the display range
34
35
36
    If (MM rsCount = -1) Then
37
       ' walk to the end of the display range for this page
:\EPack Startup Files\templates\1\cartAdd.asp: 2/5
```

```
i = MM offset
140
       While (Not MM_rs.EOF And (MM size < 0 Or i < MM_offset + MM size))
141
         MM rs.MoveNext
         i = i + 1
142
143
      Wend
144
       ' if we walked off the end of the recordset, set MM_rsCount and MM_size
145
146
       If (MM rs.EOF) Then
L47
         MM rsCount = i
148
         If (MM_size < 0 Or MM_size > MM_rsCount) Then MM size = MM rsCount
.49
       End If
:50
.51
       ' if we walked off the end, set the offset based on page size
.52
       If (MM_rs.EOF And Not MM_paramIsDefined) Then
.53
         If (MM_offset > MM_rsCount - MM size Or MM offset = -1) Then
.54
           If ((MM_rsCount Mod MM size) > 0) Then
.55
             MM_offset = MM rsCount - (MM rsCount Mod MM size)
.56
.57
             MM_offset = MM_rsCount - MM_size
.58
           End If
59
         End If
60
      End If
61
62
       ' reset the cursor to the beginning
63
       If (MM_rs.CursorType > 0) Then
 64
         MM_rs.MoveFirst
 65
       Else
 66
         MM rs.Requery
      End If
 67
68
69
       ' move the cursor to the selected record
70
71
       While (Not MM_rs.EOF And i < MM offset)
72
         MM_rs.MoveNext
73
         i = i + 1
74
      Wend
75
    End If
76
    융>
77
78
     ' *** Move To Record: update recordset stats
79
80
     ' set the first and last displayed record
    rsProducts first = MM offset + 1
    rsProducts_last = MM_offset + MM_size
    If (MM rsCount <> -1) Then
       If (rsProducts_first > MM_rsCount) Then rsProducts first = MM rsCount
84
85
       If (rsProducts_last > MM_rsCount) Then rsProducts_last = MM rsCount
86
    End If
87
88
     ' set the boolean used by hide region to check if we are on the last record
39
    MM_atTotal = (MM_rsCount <> -1 And MM_offset + MM size >= MM rsCount)
90
    융>
91
    <!--#include file="../../global.asp" -->
92
    <html>
€3
    <head>
94
    <title>Shopping Cart - Specify Quantity</title>
95
    <meta http-equiv="Content-Type" content="text/html; charset=iso-8859-1">
96
97
    <body bgcolor="#<%=(EP bgcolor)%>"
38
         text="#<%=EP text%>"
         link="#<%=EP link%>"
39
00
         vlink="#<%=EP_vlink%>"
)1
         alink="#<%=EP alink%>"
 )2
         leftmargin="3"
 )3
         topmargin="0"
 )4
        marginwidth="0"
 )5
        marginheight="0"
        background="../../<%=(EP bgImg)%>">
    <!--#include file="../../banner.asp" -->
 \EPack Startup Files\templates\1\cartAdd.asp: 3/5
```

40

a stand

```
08
   <br>
   " cellspacing="0"
09
10
     11
       ">
12
13
            14
15
16
                  'check to see which Title Text file is selected
17
                 cycleDone = false
18
                 Dim titleTextFile
19
20
                 While (NOT rsTitleText.EOF)
21
22
                     If (rsTitleText.Fields.Item("EP isSelected").Value = "True") Then
                         titleTextFile = rsTitleText.Fields.Item("EP_titleTextFile").Value
23
24
                     End If
25
                         rsTitleText.MoveNext
26
                 Wend
27
                 융>
              <object classid="clsid:D27CDB6E-AE6D-11cf-96B8-444553540000" codebase="http://down</pre>
   load.macromedia.com/pub/shockwave/cabs/flash/swflash.cab#version=4,0,2,0" width="480" height="
   40">
29
                <param name="movie" value="../../banners/titleText/<%=(titleTextFile)%>?txt=<P A</pre>
   LIGN='CENTER'><FONT COLOR='#<%=EP_text%>'>Shopping Cart - Specify Quantity</FONT></P>">
30
                <param name=wmode value=transparent>
31
                <param name=quality value=high>
32
                <embed src="../../banners/titleText/<%=(titleTextFile)%>?txt=<P ALIGN='CENTER'><</pre>
   FONT COLOR='#<%=EP_text%>'>Shopping Cart - Specify Quantity</FONT></P>" quality=high pluginspa
   qe="http://www.macromedia.com/shockwave/download/index.cgi?Pl_Prod_Version=ShockwaveFlash" typ
   e="application/x-shockwave-flash" width="480" height="40">
                </embed>
33
34
              </object> 
35
          36
37
            <hr color="#<%=EP_bordercolor%>">
38
39
            40
          41
          12
            <div align="center"><font face="sans-serif" size="2">Before we add
13
14
                an item to your shopping cart, <br>
45
                you need to specify quantity.</font></div>
16
            17
          18
          49
             
              <form name="form1" method="post" action="">
50
                51
                 52
                   53.
54
                     <div align="center"><font face="sans-serif" size="2">Adding
55
                       <b><%=(rsProducts.Fields.Item("EP Pname").Value)%></b> to your shopping
   cart.</font></div>
56
                   57
                 58
                 59
                   <div align="right"><font face="sans-serif" size="2">How many
50
51
                       of this item?</font></div>
52
                   53
54
                     <input type="text" name="cart qty" size="5">
55
                     <input type="hidden" name="prod id" value="<%=(rsProducts.Fields.Item("ID"</pre>
   ).Value) %>">
56
                   \EPack Startup Fil s\templates\1\cartAdd.asp: 4/5
```

سر*و تشفیط کے جو* ایر سے بیشے ا

1<u>64 - 184 - 1</u>

```
68
                  69
                    70
                      <div align="center">
71
                        <input type="submit" name="Submit" value="Click here to add this to your</pre>
    Shopping Cart" style="
72
                        border-color: #<%=EP_bordercolor%>;
                        border-style: groove;
border-width: 3px;
73
74
75
                        background-color: #<%=EP bgcolor%>;
                        color: #<%=EP_text%>;
cursor: hand;">
76
77
78
                        <input type="hidden" name="addToCart" value="true">
79
                      </div>
.80
                    81
                  82
                83
              </form>
84
             85
           86
           87
             >
              <hr color="#<%=EP bordercolor%>">
88
89
             90
91
           92
             93
              <div align="center"> </div>
94
             95
           96
         97
       98
     99
   00
   </body>
   </html>
31
02
   <₿
)3
   rsProducts.Close()
)4
   ક>
95
   <8
36
   rsTitleText.Close()
07
   ક>
38
```

محدد محافظتها أناها السيطي الم

```
<%@LANGUAGE="VBSCRIPT"%>
   <!--#include file="../../Connections/dbEPakRecords.asp" -->
2
   <!--#include file="../../Connections/dbEPakLibs.asp" -->
3
4
   < 8
5
   set rsProducts = Server.CreateObject("ADODB.Recordset")
   rsProducts.ActiveConnection = MM dbEPakRecords STRING
   rsProducts.Source = "SELECT ID, EP_Pname, EP_Price FROM EP_catalog"
   rsProducts.CursorType = 0
   rsProducts.CursorLocation = 2
10
   rsProducts.LockType = 3
   rsProducts.Open()
11
12
   rsProducts numRows = 0
13
   %>
1.4
   <୫
15 set rsTitleText = Server.CreateObject("ADODB.Recordset")
16 rsTitleText.ActiveConnection = MM_dbEPakLibs STRING
   rsTitleText.Source = "SELECT * FROM titleText"
17
18 rsTitleText.CursorType = 0
   rsTitleText.CursorLocation = 2
1.9
   rsTitleText.LockType = 3
20
   rsTitleText.Open()
21
   rsTitleText_numRows = 0
22
23
   용>
24
   < ४
   If (Request.Form("checkout") <> "") Then
25
26
       Response.Redirect("checkout.asp?checkout=true")
27
28
29
   End If
30
   웅>
31
   <₹
            cart qty is numeric field
32
           ' prod id is ID field (hidden)
33
   If (Session("QTY") <> "" AND Session("ID") <> "") Then
34
       itemsStr = Session("ID")
35
       qtyStr = Session("QTY")
36
37
       splitItems = Split(itemsStr, "|")
38
       splitQTY = Split(qtyStr, "|")
39
40
41
   End If
42
   If (Session("QTY") = "") Then
43
14
       noItems = true
45
   End If
   <!--#include file="../../global.asp" -->
47
48
   <html>
49
50
   <title>Shopping Cart</title>
   <meta http-equiv="Content-Type" content="text/html; charset=iso-8859-1">
51
52
   </head>
    <body bgcolor="#<%=(EP bgcolor)%>"
53
       text="#<%=EP_text%>"
link="#<%=EP_link%>"
54
35
       vlink="#<%=EP_vlink%>"
56
       alink="#<%=EP alink%>"
57
58
       leftmargin="3"
       topmargin="0"
59
       marginwidth="0"
60
       marginheight="0"
51
52
       background="../../<%=(EP_bgImg)%>">
    <!--#include file="../../banner.asp" -->
53
54
    " cellspacing="0
55
    ">
56
     57
       ">
\EPack Startup Files\templates\1\cart.asp: 1/4
```

```
69
           70
             71
72
                   'check to see which Title Text file is selected
73
                  cvcleDone = false
74
                  Dim titleTextFile
75
76
                  While (NOT rsTitleText.EOF)
77
78
                      If (rsTitleText.Fields.Item("EP isSelected").Value = "True") Then
79
                          titleTextFile = rsTitleText.Fields.Item("EP titleTextFile").Value
80
81
                         rsTitleText.MoveNext
82
                  Wend
83
                  ક>
               <object classid="clsid:D27CDB6E-AE6D-11cf-96B8-444553540000" codebase="http://down</pre>
   load.macromedia.com/pub/shockwave/cabs/flash/swflash.cab#version=4,0,2,0" width="480" height="
   40">
85
                <param name="movie" value="../../banners/titleText/<%=(titleTextFile)%>?txt=<P A</pre>
   LIGN='CENTER'><FONT COLOR='#<%=EP_text%>'>Shopping Cart</FONT></P>">
86
                <param name=quality value=high>
87
                <param name=wmode value=transparent>
                <embed src="../../banners/titleText/<%=(titleTextFile)%>?txt=<P ALIGN='CENTER'>
   FONT COLOR='#<%=EP_text%>'>Shopping Cart</FONT></P>" quality=high pluginspage="http://www.macr
   omedia.com/shockwave/download/index.cgi?Pl_Prod_Version=ShockwaveFlash" type="application/x-sh
   ockwave-flash" width="480" height="40">
89
                </embed>
90
               </object> 
91
           92
           93
             94
               <hr color="#<%=EP bordercolor%>">
95
             96
           97
           98
             39
               <div align="center"><font face="sans-serif" size="2">Below is a list
00
                of items in your Shopping Cart.<br>
)1
                < %
12
                If (Request("newitem") <> "") Then
13
                8>
14
                <a href="javascript:history.go(-2)">Click here to go back and continue
15
                shopping.</a>
16
                <୫
)7
                End If
)8
                욹>
19
                <br>
10
                <br>
11
                <%
12
                If (NOT noitems) Then
13
                ୫>
                <a href="cartRemove.asp">Click here to remove items from your Shopping
14
15
                Cart.</a>&nbsp;
.6
                <४
.7
                End If
.8
                %>
19
                </font></div>
30
             21
?2
           :3
24
               <div align="center">
25
                < ४
:6
   If (NOT noItems) Then
?7
:8
                9:
                    <b><font face="sans-serif" size="2">Quantity</font></b>
30
                    <b><font face="sans-serif" size="2">&nbsp;&nbsp;Name
```

المستواها الأساوات

\EPack Startup Fil s\templates\1\cart.asp: 2/4

```
32
                       of Item(s)</font></b>
33
                     <b><font face="sans-serif" size="2">Price (ea.)</font></b></
   td>
34
                   35
                   <8
36
37
   i=0
38
   While (i <= Ubound(splitItems))
39
40
                   41
                     42
                       <div align="center"><font face="sans-serif" size="2"><%=splitQTY(i)%></fon</pre>
   t></div>
43
                     44
                     <8
45
           rsProducts.MoveFirst()
46
           While (NOT rsProducts.EOF)
47
           용>
48
49
               If (CStr(splitItems(i)) = CStr(rsProducts.Fields.Item("ID").Value)) Then
50
                     <font face="sans-serif" size="2">&nbsp;&nbsp;&nbsp;&nbsp;<%=</pre>
51
    (rsProducts.Fields.Item("EP Pname").Value)%></font>
                     <font face="sans-serif" size="2"><%=FormatCurrency(rsProduct
52
   s.Fields.Item("EP_Pprice").Value)%></font>
53
                     <୫
               End If
54
55
               융>
56
57
           rsProducts.MoveNext()
58
           Wend
59
           8>
                   60
                   < ४
61
52
   i=i+1
53
   Wend
34
   ક્ર>
55
                 <%
56
57
                 End If
58
                 If (NOT noitems) Then
59
                 <form name="form1" method="post" action="">
70
                   <input type="submit" name="Submit" value="Click here to check out" style="</pre>
11
                         border-color: #<%=EP bordercolor%>;
12
73
                         border-style: groove;
                         border-width: 3px;
74
75
                         background-color: #<%=EP bgcolor%>;
76
                         color: #<%=EP text%>;
                         cursor: hand; ">
17
                   <input type="hidden" name="checkout" value="true">
18
19
                 </form>
30
                 <%
31
                 End If
32
                 ક>
33
                 <୫
34
                 If (noitems) Then
35
36
                 <font face="sans-serif" size="2">Your Shopping Cart is empty.</font>
37
                 <%
38
                 End If
39
                 %>
30
               </div>
11
             €
           3
           34
₹5
               <hr color="#<%=EP_bordercolor%>">
€
             \EPack Startup Files\templates\1\cart.asp: 3/4
```

```
97
         98
         99
          00
            <div align="center"> </div>
01
          02
         03
       04
      05
06
   07
   </body>
08
   </html>
09
   <୫
10
   rsProducts.Close()
11
   %>
12
   <₿
13
   rsTitleText.Close()
14
   ક>
15
```

Ĺ

```
<%@LANGUAGE="VBSCRIPT"%>
   <!--#include file="../../Connections/dbEPakRecords.asp" -->
   <!--#include file="../../Connections/dbEPakLibs.asp" -->
   <୫
 5
   set rsAboutAdmin = Server.CreateObject("ADODB.Recordset")
   rsAboutAdmin.ActiveConnection = MM_dbEPakRecords STRING
   rsAboutAdmin.Source = "SELECT * FROM about"
   rsAboutAdmin.CursorType = 0
9
   rsAboutAdmin.CursorLocation = 2
10
   rsAboutAdmin.LockType = 3
11
   rsAboutAdmin.Open()
12
   rsAboutAdmin_numRows = 0
13
   ક>
14
   < ४
   set rsTitleText = Server.CreateObject("ADODB.Recordset")
15
   rsTitleText.ActiveConnection = MM_dbEPakLibs STRING
16
17
   rsTitleText.Source = "SELECT * FROM titleText"
18
   rsTitleText.CursorType = 0
19
   rsTitleText.CursorLocation = 2
   rsTitleText.LockType = 3
20
21
   rsTitleText.Open()
22
   rsTitleText numRows = 0
23
   %>
24
   < 8
25
   aboutStr = rsAboutAdmin.Fields.Item("EP aboutTXT").Value
26
27
   aboutSplit = Split(aboutStr, VBCrLf)
28
   aboutJoin = Join(aboutSplit, "<BR>")
29
30
31
   <!--#include file="../../global.asp" -->
32
   <html>
33
   <head>
34
   <title>About Us</title>
35
   <meta http-equiv="Content-Type" content="text/html; charset=iso-8859-1">
36
   </head>
37
    <body bgcolor="#<%=(EP bgcolor)%>"
38
       text="#<%=EP_text%>"
39
       link="#<%=EP_link%>"
40
       vlink="#<%=EP_vlink%>"
41
       alink="#<%=EP alink%>"
12
       leftmargin="3"
13
       topmargin="0"
       marginwidth="0"
14
       marginheight="0"
15
16
       background="../../<%=(EP_bgImg)%>">
17
   <!--#include file="../../banner.asp" -->
18
19
   " cellspacing="0"
   ">
50
     51
       52
         ">
53
           54
             55
56
57
                   'check to see which Title Text file is selected
58
                  cycleDone = false
59
                  Dim titleTextFile
50
51
                  While (NOT rsTitleText.EOF)
52
53
                      If (rsTitleText.Fields.Item("EP isSelected").Value = "True") Then
54
                          titleTextFile = rsTitleText.Fields.Item("EP titleTextFile").Value
55
                      End If
5б
                          rsTitleText.MoveNext
57
                  Wend
                  %>
AEPack Startup Files\t mplat s\1\about.asp: 1/2
```

```
69
                    <object classid="clsid:D27CDB6E-AE6D-11cf-96B8-444553540000" codebase="http:</pre>
   //download.macromedia.com/pub/shockwave/cabs/flash/swflash.cab#version=4,0,2,0" width="480" he
   ight="40">
                <param name="movie" value="../../banners/titleText/<%=(titleTextFile)%>?txt=<P A</pre>
70
   LIGN='CENTER'><FONT COLOR='#<%=EP text%>'>About Us</FONT></P>">
71
                <param name=quality value=high>
72
                <param name=wmode value=transparent>
                <embed src="../../banners/titleText/<%=(titleTextFile)%>?txt=<P ALIGN='CENTER'>
73
   FONT COLOR='#<%=EP_text%>'>About Us</FONT></P>" quality=high pluginspage="http://www.macromedi
   a.com/shockwave/download/index.cgi?P1_Prod_Version=ShockwaveFlash" type="application/x-shockwa
   ve-flash" width="480" height="40">
74
                </embed>
               </object>
75
              76
           77
           78
79
             80
               <hr color="#<%=EP_bordercolor%>">
81
             82
83
           84
85
               <div align="center"></div>
               <div align="left"><font face="sans-serif" size="2"><%=(aboutJoin)%></font></div>
36
37
             88
89
           90
               <hr color="#<%=EP_bordercolor%>">
91
92
             93
           94
           95
             <div align="center"> </div>
96
97
             Э8
           €€
       Э0
     21
   2
23
   </body>
   </html>
)5
   <୫
)6
   rsAboutAdmin.Close()
37
38
   < %
9
   rsTitleText.Close()
```

Name and the second of the contract of the con

The second of

10 11

```
<%@LANGUAGE="VBSCRIPT"%>
   <!--#include file="Connections/dbEPakAppearance.asp" -->
   <!--#include file="Connections/dbEPakRecords.asp" -->
 5
    ' This is the setup file for the public portion of E-Pack.
 6
    ' It creates Application variables, such as colors, images, etc.
    ' The web counter is also contained within this page.
   융>
10
11
   < %
12
   set rsColors = Server.CreateObject("ADODB.Recordset")
13 rsColors.ActiveConnection = MM_dbEPakAppearance_STRING
14 rsColors.Source = "SELECT * FROM colors"
15 rsColors.CursorType = 0
16 rsColors.CursorLocation = 2
17 rsColors.LockType = 3
18 rsColors.Open()
19 rsColors_numRows = 0
20 %>
21 <8
22 set rsVariables = Server.CreateObject("ADODB.Recordset")
23 rsVariables.ActiveConnection = MM_dbEPakAppearance_STRING
24 rsVariables.Source = "SELECT * FROM variables"
25 rsVariables.CursorType = 0
26 rsVariables.CursorLocation = 2
27
   rsVariables.LockType = 3
28 rsVariables.Open()
29
   rsVariables_numRows = 0
30 %>
31
   < %
32
   set rsImages = Server.CreateObject("ADODB.Recordset")
33
   rsImages.ActiveConnection = MM dbEPakAppearance STRING
34 rsImages.Source = "SELECT * FROM images"
35
   rsImages.CursorType = 0
36
   rsImages.CursorLocation = 2
37
   rsImages.LockType = 3
38
   rsImages.Open()
39
   rsImages_numRows = 0
10
11
   < 8
   set rsPages = Server.CreateObject("ADODB.Recordset")
   rsPages.ActiveConnection = MM dbEPakAppearance STRING
   rsPages.Source = "SELECT * FROM pages"
   rsPages.CursorType = 0
   rsPages.CursorLocation = 2
17
   rsPages.LockType = 3
48
   rsPages.Open()
19
   rsPages_numRows = 0
50
51
52
   set rsLogoFile = Server.CreateObject("ADODB.Recordset")
   rsLogoFile.ActiveConnection = MM_dbEPakAppearance_STRING
53
   rsLogoFile.Source = "SELECT * FROM logo"
54
55
   rsLogoFile.CursorType = 0
56
   rsLogoFile.CursorLocation = 2
57
   rsLogoFile.LockType = 3
58
   rsLogoFile.Open()
59
   rsLogoFile numRows = 0
50
51
   < %
   set rsWebCounter = Server.CreateObject("ADODB.Recordset")
   rsWebCounter.ActiveConnection = MM dbEPakRecords STRING
   rsWebCounter.Source = "SELECT * FROM webCounter"
i5 rsWebCounter.CursorType = 0
56
   rsWebCounter.CursorLocation = 2
57
   rsWebCounter.LockType = 3
58
   rsWebCounter.Open()
   rsWebCounter numRows = 0
59
\EPack Startup Fil s\setup.asp: 1/3
```

```
71
   < 8
    ' set current web count variable
   webCount = rsWebCounter.Fields.Item("EPak webCounter").Value + 1
74
75
    ' create SQL Query statement
76
   webCountQuery = "update webCounter set EPak webCounter = " & webCount & " where ID = 1"
77
78
    ' execute Web Counter update query
    Set EP webCount = Server.CreateObject("ADODB.Command")
79
   EP webCount.ActiveConnection = MM dbEPakRecords STRING
80
   EP webCount.CommandText = webCountQuery
81
82
   EP webCount.Execute
83
   EP webCount.ActiveConnection.Close
84
35
   ક>
36
   <୫
    set rsBackgroundImage = Server.CreateObject("ADODB.Recordset")
87
88 rsBackgroundImage.ActiveConnection = MM dbEPakAppearance STRING
89 rsBackgroundImage.Source = "SELECT * FROM background"
90 rsBackgroundImage.CursorType = 0
    rsBackgroundImage.CursorLocation = 2
91
92
    rsBackgroundImage.LockType = 3
93 rsBackgroundImage.Open()
34 rsBackgroundImage_numRows = 0
95
   융>
96
   < ₹
    set rsMenuBackgroundImage = Server.CreateObject("ADODB.Recordset")
97
98 rsMenuBackgroundImage.ActiveConnection = MM dbEPakAppearance STRING
    rsMenuBackgroundImage.Source = "SELECT * FROM background_menu"
)0 rsMenuBackgroundImage.CursorType = 0
    rsMenuBackgroundImage.CursorLocation = 2
21
02
    rsMenuBackgroundImage.LockType = 3
ე3
    rsMenuBackgroundImage.Open()
)4
    rsMenuBackgroundImage_numRows = 0
ን5 %>
ን6 < የ
    set rsAdminTitle = Server.CreateObject("ADODB.Recordset")
27
)8 rsAdminTitle.ActiveConnection = MM dbEPakRecords STRING
J9 rsAdminTitle.Source = "SELECT EP clientBizName FROM adminInfo"
10 rsAdminTitle.CursorType = 0
   rsAdminTitle.CursorLocation = 2
11
12 rsAdminTitle.LockType = 3
13 rsAdminTitle.Open()
   rsAdminTitle numRows = 0
14
15
    용>
16
    <୫
17
    ' Set Application Color variables
    ' (I know for certain that these are used--not sure about epak_text)
18
    Application ("epak bgcolor") = rsColors.Fields.Item ("epak_bgcolor").Value
19
    Application("epak_text") = rsColors.Fields.Item("epak_text").Value Application("epak_link") = rsColors.Fields.Item("epak_link").Value
20
21
    Application("epak vlink") = rsColors.Fields.Item("epak vlink").Value
22
    Application("epak_alink") = rsColors.Fields.Item("epak_alink").Value
23
    Application("epak_borderColor") = rsColors.Fields.Item("epak_borderColor").Value
24
    Application ("epak highlight") = rsColors.Fields.Item ("epak highlight").Value
25
26
    'Images **NOTE*** Check to see if these are used
27
    Application("epak_logoImg") = rsLogoFile.Fields.Item("EP_logoFile").Value Application("epak_logoAlt") = rsImages.Fields.Item("epak_logoAlt").Value
28
29
    Application("epak_bgImg") = rsBackgroundImage.Fields.Item("EPak_bgImage").Value
30
    Application ("epak menubgImg") = rsMenuBackgroundImage.Fields.Item("EPak MenuBackground").Value
31
32
    ' Available pages (returned value is boolean)
33
34
     ' ***NOTE*** I don't think these are used anywhere
    'Application("epak_pgNews") = rsPages.Fields.Item("epak_news").Value
35
    'Application("epak_pgCatalog") = rsPages.Fields.Item("epak_catalog").Value
36
    'Application("epak_pgContact") = rsPages.Fields.Item("epak_contact").Value
37
    'Application("epak pgSearch") = rsPages.Fields.Item("epak search").Value
:\EPack Startup Files\setup.asp: 2/3
```

```
39
     'Application("epak_pgMsgBoard") = rsPages.Fields.Item("epak_msgboard").Value
     'Application("epak_pgCompany") = rsPages.Fields.Item("epak_company").Value 'Application("epak_pgSurvey") = rsPages.Fields.Item("epak_survey").Value
.40
.41
     'Application("epak_pgComments") = rsPages.Fields.Item("epak_comments").Value
.42
     'Application("epak_pgCounter") = rsPages.Fields.Item("epak_counter").Value
43
     'Application("epak_pgFAQ") = rsPages.Fields.Item("epak_faq").Value
.44
.45
     ' Other Variables ***NOTE**(I don't think these are ever used...)
.46
47
     Application("epak_counterOn") = rsVariables.Fields.Item("epak_counterOn").Value
     Application ("epak bgImgOn") = rsVariables.Fields.Item ("epak bgImgOn").Value
.48
     Application("epak_globalFontType") = rsVariables.Fields.Item("epak_globalFontType").Value Application("epak_globalFontSize") = rsVariables.Fields.Item("epak_globalFontSize").Value
.49
.50
     Application("epak_globalLinkType") = rsVariables.Fields.Item("epak_globalLinkType").Value Application("epak_globalLinkSize") = rsVariables.Fields.Item("epak_globalLinkSize").Value
.51
.52
.53
     Application ("epak globalLinkUnderline") = rsVariables. Fields. Item ("epak globalLinkUnderline").
     Value
     Application("epak_globalLinkBold") = rsVariables.Fields.Item("epak_globalLinkBold").Value
 54
.55
     Application ("epak currencyFormat") = rsVariables.Fields.Item ("epak currencyFormat").Value
.56
.57
     ' EPack Business name (this is used by the home frameset)
 58
     Application("epak bizName") = rsAdminTitle.Fields.Item("EP clientBizName").Value
 59
 60
     ' Need to add template detection here. If template number is 1
 61
     ' then go to templates/1/frameset.asp
 62
     ' If template number is 2, go to templates/2/frameset.asp (etc.)
 63
 64
     ' App variables are set, now direct user to the main page
     ' FIRST LET'S CLOSE ALL OF OUR RECORDSETS!! =P
 65
 66
     8>
 67
     <४
 68
     rsColors.Close()
 69
     융>
 70
     < ४
 71
     rsVariables.Close()
 72
     ક>
 73
     <୫
 74
     rsImages.Close()
 75
     %>
 7.6
     < %
 77
     rsPages.Close()
 78
     용>
 79
     < %
 80
     rsLogoFile.Close()
 81
     용>
 83
     rsWebCounter.Close()
     ક>
 85
     <₿
     rsBackgroundImage.Close()
 86
 87
 88
 89
     rsMenuBackgroundImage.Close()
 90
     용>
 91
     <8
 92
     rsAdminTitle.Close()
 93
     윢>
 94
 95
      ' Redirecting to our welcome page. :)
     Response.Redirect("templates/1/frameset.asp")
 96.
 97
```

```
showpage
1
2
3
4
   ' Converts Application variables into simple EP (prefix) variables
5
6
    ' colors
   If (Application("epak bgcolor") <> "") Then
7
8
       restart = false
9
       Response.Redirect("setup.asp")
.0
.1
   End If
.2
   EP bgcolor = Application("epak_bgcolor")
.3
.4
   EP text = Application("epak_text")
. 5
   EP_link = Application("epak_link")
.6 EP vlink = Application("epak_vlink")
.7
   EP alink = Application("epak_alink")
   EP_bordercolor = Application("epak_borderColor")
.8
   EP_highlight = Application("epak_highlight")
.9
10
1:
    ' images
'2 EP logo = Application("epak logoImg")
    EP logoAlt = Application("epak_logoAlt")
:3
    EP bgImg = "images/backgrounds/" & Application("epak_bgImg")
:4
    EP menubgImg = "images/backgrounds/" & Application("epak_menubgImg")
:5
:6
:7
    ' Available Pages
:8
   EP pgNews = Application("epak_pgNews")
   EP_pgCatalog = Application("epak_pgCatalog")
:9
   EP pgContact = Application("epak pgContact")
:0
   EP pgSearch = Application("epak pgSearch")
11
   EP pgMsgBoard = Application("epak pgMsgBoard")
    EP pgCompany = Application("epak pgCompany")
    EP pgSurvey = Application("epak pgSurvey")
    EP pgComments = Application("epak pgComments")
    EP pgCounter = Application("epak pgCounter")
;6
    EP_pgFAQ = Application("epak_pgFAQ")
:7
    EP pgCoupon = Application("epak_pgCoupon")
:8
    EP_Coupon = Application("epak_Coupon")
:9
0
 1
.2
    ' misc variables
    EP gFontFace = Application("epak globalFontType")
13
    EP gFontSize = Application("epak globalFontSize")
.5
، 6
    융>
```